

# Prof. İBRAHİM HALİL ELEKCİOĞLU

## Personal Information

Office Phone: [+90 322 338 6359](tel:+903223386359)

Office Phone: [+90 322 338 6060](tel:+903223386060) Extension: 2167

Fax Phone: [+90 322 338 6369](tel:+903223386369)

Email: [halile@cu.edu.tr](mailto:halile@cu.edu.tr)

Other Email: [halilelekcioglu@gmail.com](mailto:halilelekcioglu@gmail.com)

Web: <https://avesis.cu.edu.tr//halile>

Address: Çukurova Üniversitesi Ziraat Fakültesi Bitki Koruma Bölümü

## International Researcher IDs

ORCID: 0000-0002-1707-7392

Publons / Web Of Science ResearcherID: G-3694-2018

Yoksis Researcher ID: 12021

## Education Information

Doctorate, Universitaet Hohenheim, Faculty of Agriculture, Phytomedizin, Germany 1988 - 1992

Postgraduate, Cukurova University, Entomoloji, Bitki Koruma, Turkey 1985 - 1987

Undergraduate, Cukurova University, Entomoloji, Bitki Koruma, Turkey 1982 - 1985

## Dissertations

Doctorate, Untersuchungen zum Auftreten und zur Verbreitung phytoparasitärer Nematoden in den landwirtschaftlichen Hauptkulturen des ostmediterranen Gebietes der Türkei, Universitaet Hohenheim, Faculty of Agriculture, Phytomedizin, 1992

Postgraduate, Dogu Akdeniz Bölgesi Beyaz sinek türlerinin (Aleyrodidae) araştırılması (1987) TezDanismanı, Cukurova University, Fen Bilimleri Enstitüsü, Bitki Koruma, 1988

## Research Areas

Agricultural Sciences, Agriculture, Plant Protection, Entomology, Applied Entomology, Nematology

## Academic Titles / Tasks

Professor, Cukurova University, Entomoloji/Nematoloji, Bitki Koruma, 2001 - Continues

Associate Professor, Cukurova University, Entomoloji/Nematoloji, Bitki Koruma, 1995 - 2001

Assistant Professor, Cukurova University, Entomoloji/Nematoloji, Bitki Koruma, 1993 - 1995

## Academic and Administrative Experience

Head of Department, Cukurova University, Ziraat Fakültesi, Bitki Koruma, 2021 - Continues

Rektörlük Stratejik Plan Komisyonu Üyesi, Cukurova University, Ziraat Fakültesi, Bitki Koruma, 2016 - 2020

Vice Rector, Cukurova University, Rektörlük, 2016 - 2020  
Member of the Senate, Cukurova University, Ziraat Fakültesi, Bitki Koruma, 2012 - 2020  
Head of Ethics Committee, Cukurova University, Ziraat Fakültesi, Bitki Koruma, 2012 - 2017  
Fakülte Yönetim Kurulu Üyesi, Cukurova University, Ziraat Fakültesi, Bitki Koruma, 2012 - 2016  
Fakülte Kurulu Üyesi, Cukurova University, Ziraat Fakültesi, Bitki Koruma, 2012 - 2016  
University Executive Board Member, Cukurova University, Ziraat Fakültesi, Bitki Koruma, 2012 - 2016  
Dean, Cukurova University, Ziraat Fakültesi, 2012 - 2016  
Fakülte Akademik Kurul Üyesi, Cukurova University, Ziraat Fakültesi, Bitki Koruma, 2005 - 2016  
Head of Department, Cukurova University, Ziraat Fakültesi, 2005 - 2012  
Eğitim ve Müfredat Kurulu üyesi, Cukurova University, Ziraat Fakültesi, Bitki Koruma, 2002 - 2012  
Head of Department, Cukurova University, Ziraat Fakültesi, 2001 - 2004

## Advising Theses

Elekcioğlu İ. H., TÜRKİYE'DE ÖNEMLİ SARIMSAK ÜRETİM ALANLARINDA BİTKİ PARAZİTİ NEMATODLARIN SAPTANMASI VE BAZI SARIMSAK GENOTİPLERİNİN SOĞAN SAK NEMATODU [*Ditylenchus dipsaci* (Kühn, 1857) Filipjev, 1936] İRKLARINA KARŞI DAYANIKLILIKLARININ BELİRLENMESİ, Doctorate, A.ÖCAL(Student), 2021  
Elekcioğlu İ. H., Bazı bitki ekstraktlarının önemli bitki paraziti nematodlara karşı etkinliğinin araştırılması, Postgraduate, A.ŞÜKRÜ(Student), 2020  
Elekcioğlu İ. H., Trakya bölgesi meyve ve bağ alanlarındaki nematod türlerinin belirlenmesi ve virüs- nematod ilişkilerinin araştırılması, Doctorate, L.ÖZTÜRK(Student), 2020  
Elekcioğlu İ. H., Kök yara nematodlarının (*Pratylenchus thornei*, *P. neglectus*, *P. penetrans*) farklı nohut çeşitleri üzerinde gelişmelerinin araştırılması, Postgraduate, İ.AYAZ(Student), 2019  
Elekcioğlu İ. H., Doğu Akdeniz Bölgesi örtüaltı sebze alanlarında kök-ur nematodlarının biyokimyasal ve moleküler yöntemler ile tanınması, Postgraduate, A.ASLAN(Student), 2019  
Elekcioğlu İ. H., Kök yara nematodları (*Pratylenchus thornei* ve *Pratylenchus neglectus*) ve kist nematodları (*Heterodera avenae* ve *Heterodera latipons*)'na karşı buğdayda dayanıklılık mekanizmasının araştırılması, Doctorate, E.BÖRTEÇİNE(Student), 2018  
Elekcioğlu İ. H., SCREENING OF CHICKPEA GENOTYPES COLLECTED FROM TURKEY AGAINST TO THE ROOT LESION NEMATODES, *Pratylenchus neglectus*, *Pratylenchus thornei* AND *Ditylenchus dipsaci* FOR RESISTANCE, Doctorate, T.Behmand(Student), 2018  
Elekcioğlu İ. H., Türkiye'nin farklı bölgelerinde (Ege ve Marmara) *Bursaphelenchus fuchs*, 1937 (Nematoda: Parasitaphelenchidae) türlerinin vektör böceklerinin belirlenmesi, Doctorate, M.DAYI(Student), 2015  
Elekcioğlu İ. H., Güneydoğu Anadolu Bölgesi Buğday Alanlarında Tahıl Kist Nematodu (*Heterodera* spp) Popülasyonlarının Karakterizasyonu ve Bazı Buğday Genotiplerinin Dayanıklılığının Araştırılması., Doctorate, M.İmren(Student), 2013  
Elekcioğlu İ. H., Adıyaman İli Önemli Kültür Bitkilerinde Bitki Paraziti Nematod Türleri ve Dağılımlarının Belirlenmesi., Postgraduate, A.Öcal(Student), 2012  
Elekcioğlu İ. H., Adana ili tarım alanlarında yetiştirilen önemli kültür bitkilerinde bulunan bitki paraziti nematod türleri, Postgraduate, E.BÖRTEÇİNE(Student), 2012  
Elekcioğlu İ. H., Hatay İli Tarım Alanlarında Önemli Kültür Bitkilerinde Zararlı Olan Bitki Parazit Nematod Türlerinin Araştırılması., Postgraduate, D.Satmaz(Student), 2012  
Elekcioğlu İ. H., Türkiye'de Bulunan *Meloidogyne* Türlerinin Irklarının Araştırılması., Postgraduate, G.Kaçar(Student), 2011  
Elekcioğlu İ. H., Orta Anadolu Buğday Alanlarında Önemli Bitki Paraziti Nematodların Belirlenmesi Ve Hububat Kist Nematodu *Heterodera Filipjevi*'nin Biyolojisi İle Mücadelesi Üzerine Çalışmalar., Doctorate, E.Şahin(Student), 2010  
Elekcioğlu İ. H., Doğu Akdeniz Bölgesi'nde yabancı otlarda bulunan bitki paraziti nematod türlerinin belirlenmesi, Postgraduate, H.Ercan(Student), 2009  
Elekcioğlu İ. H., Türkiye'nin Farklı Alanlarından Alınan Kök-ur Nematodu (*Meloidogyne* spp.) Türlerinin Tanısı ve Dayanıklı (RN) Domates Çeşitlerinin *Meloidogyne incognita* ve *M. javanica*'ya Karşı Dayanıklılık Durumlarının

Araştırılması, Doctorate, A.Özarslan(Student), 2009

Elekcioglu İ. H., Kışık Buğday Çeşit ve Hatlarının Tahıl Kist Nematodu, Heterodera filipjevi (Madzhidov) Stelter Populasyonlarına Karşı Dayanıklılıklarının Araştırılması, Postgraduate, M.Özarslan(Student), 2008

Elekcioglu İ. H., Bazı yazlık Buğday Çeşitlerinin Pratylenchus thornei Sher et Allen (Tylenchida: Pratylenchidae)'ye karşı Dayanıklılığının Araştırılması, Doctorate, H.Toktay(Student), 2008

Elekcioglu İ. H., Şanlıurfa İli Nematod Faunası ve Biyoçeşitliliği Üzerine araştırmalar., Doctorate, Ş.Yıldız(Student), 2007

Elekcioglu İ. H., Diyarbakır İli Buğday, Sebze ve Bağ Alanlarında Önemli Bitki Paraziti nematod Türlerinin belirlenmesi, Postgraduate, M.İmren(Student), 2007

Elekcioglu İ. H., Hiyarda Kök-Ur Nematodlarına Karşı Moleküler Markırların Geliştirilmesi., Doctorate, Z.Devran(Student), 2006

Elekcioglu İ. H., Doğu Akdeniz Bölgesi'nde Sebzelerde Zararlı Kök-Ur nematodları (Meloidogyne spp.)' na Karşı Mücadele Yöntemleri Üzerine Araştırmalar., Doctorate, M.Ali(Student), 2005

Elekcioglu İ. H., Toprak Solarizasyonunun Değişik Uygulama Süreleri ve nematisit İle Kombinasyonlarının Kök-Ur nematodları (Meloidogyne spp.)'na Karşı Etkisinin Araştırılması., Postgraduate, D.Arısoy(Student), 2004

Elekcioglu İ. H., Domateste Kök-Ur Nematodlarına (Meloidogyne incognita ırk-2 ve Meloidogyne javanica ırk-1) Karşı dayanıklılığın Teşvik Edilmesinin araştırılması., Postgraduate, C.Arslan(Student), 2003

Elekcioglu İ. H., Bazı Hiyar ve Biber Çeşitlerinin Meloidogyne javanica ırk-1 ve Meloidogyne incognita ırk-2'ye karşı dayanıklılıklarının Araştırılması., Postgraduate, A.Özarslan(Student), 2002

Elekcioglu İ. H., Doğu Akdeniz Bölgesi Buğday Alanlarında Bulunan Bitki Paraziti Nematod Türleri Üzerinde Araştırmalar., Doctorate, U.Gözel(Student), 2001

Elekcioglu İ. H., Adana'da Turunçgil Bahçelerinde Turunçgil Nematodu (Tylenchulus semipenetrans Cobb)'un Populasyon Dalgalanması ve Verime olan Etkisinin Araştırılması., Postgraduate, H.Toktay(Student), 2001

Elekcioglu İ. H., Akdeniz Bölgesi'nde sebze alanlarında bulunan Kök-ur nematodu (Meloidogyne spp.) ve ırklarının belirlenmesi ile Meloidogyne incognita ırk-2'nin farklı domates çeşitlerinde bazı biyolojik özelliklerinin araştırılması., Postgraduate, M.Ali(Student), 1999

ELEKÇİOĞLU İ. H., Balcalı (Adana)'da Buğdayda Bulunan Nematod Türleri, Bunların Populasyon Dalgalanmaları Ve Verime Olan Etkilerinin Araştırılması, Postgraduate, U.Gözel(Student), 1996

## Published journal articles indexed by SCI, SSCI, and AHCI

- I. **Resistance of some Turkish garlic genotypes and landraces against stem and bulb nematode, Ditylenchus dipsaci (Kühn, 1857) Filipjev, 1936 (Rhabditida: Anguinidae)**  
Öcal A., BESİRLİ G., Evlice E., Yavuzaslanoğlu E., ELEKÇİOĞLU İ. H.  
Türkiye Entomoloji Dergisi, vol.47, no.1, pp.111-119, 2023 (SCI-Expanded)
- II. **Molecular identification and population dynamics of the stem and bulb nematode Ditylenchus dipsaci species on chickpea in Turkey**  
Behmand T., Berger J., ELEKÇİOĞLU İ. H., Aydoğan A., Kahraman A.  
PHYTOPARASITICA, vol.50, no.4, pp.823-835, 2022 (SCI-Expanded)
- III. **Development of an in vivo bioassay to identify Turkish chickpea genotypes resistance to Ditylenchus dipsaci (Kühn, 1857) (Tylenchida: Anguinidae)**  
BEHMAND T., KASAPÖĞLU ULUDAMAR E. B., ELEKÇİOĞLU İ. H.  
TURKIYE ENTOMOLOJİ DERGISİ, vol.46, no.1, pp.91-100, 2022 (SCI-Expanded)
- IV. **Development of an in vivo bioassay to identify Turkish chickpea genotypes resistance to Ditylenchus dipsaci (Kühn, 1857) (Tylenchida: Anguinidae)(1)**  
Behmand T., Uludamar E. B. K., ELEKÇİOĞLU İ. H.  
TURKIYE ENTOMOLOJİ DERGISİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.46, no.1, pp.89-98, 2022 (SCI-Expanded)
- V. **Interaction of Meloidogyne incognita (Kofoid & White, 1919) (Nemata: Meloidogynidae) and Fusarium oxysporum f. sp. radices-lycopersici Jarvis & Shoemaker in tomato F1 hybrids with differing levels of resistance to these pathogens**

Ozdemir F. G. G., ARICI ŞENKAYNAĞI Ş. E., ELEKCİOĞLU İ. H.

TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.46, no.1, pp.63-73, 2022 (SCI-Expanded)

- VI. **Biochemical and molecular identification of root-knot nematodes in greenhouse vegetable areas of Eastern Mediterranean Region (Turkey)**  
ASLAN A., ELEKCİOĞLU İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.46, no.1, pp.115-127, 2022 (SCI-Expanded)
- VII. **Investigation of the development of root lesion nematodes, *Pratylenchus* spp. (Tylenchida: Pratylenchidae) in three chickpea cultivars**  
Ayaz I., Kasapoglu Uludamar E. B., Behmand T., ELEKCİOĞLU İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.45, no.1, pp.23-31, 2021 (SCI-Expanded)
- VIII. **Survey of *Pasteuria*, the parasitic bacterial group to plant parasitic nematodes in Turkey**  
Ozturk L., Behmand T., Avci G. G., Bozbuga R., Mirik M., Elekcioglu İ. H.  
EGYPTIAN JOURNAL OF BIOLOGICAL PEST CONTROL, vol.30, 2020 (SCI-Expanded)
- IX. **Histopathological changes of some resistant and susceptible wheat cultivars caused by plant parasitic nematodes**  
Kasapoglu Uludamar E. B., KARABIYIK Ş., ELEKCİOĞLU İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.44, no.1, pp.91-100, 2020 (SCI-Expanded)
- X. **Occurrence and abundance of cereal nematodes in Konya and Karaman Provinces in Turkey**  
YAVUZASLANOĞLU E., Karaca M. S., Ates Sonmezoglu O., Ocal A., Elekcioglu H. I., Aydogdu M.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.44, no.2, pp.223-236, 2020 (SCI-Expanded)
- XI. **Identification and prevalence of potato cyst nematodes and root-knot nematodes in the potato production areas of Izmir Province, Turkey**  
Demirbaş Pehlivan H., KAŞKAVALCI G., KASAPOĞLU ULUDAMAR E. B., TOKTAY H., ELEKCİOĞLU İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.44, no.2, pp.259-272, 2020 (SCI-Expanded)
- XII. **Development of methodology for resistance screening of chickpea genotypes collected in Turkey to the root lesion nematode, *Pratylenchus thornei* Sher & Allen, 1953 (Tylenchida: Pratylenchidae)**  
behmand T., Kasapoglu Uludamar E. B., BERGER J., ELEKCİOĞLU İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.44, no.1, pp.81-89, 2020 (SCI-Expanded)
- XIII. **Determination of plant parasitic nematodes associated with chickpea in Turkey**  
Behmand T., Elekcioglu N. Z., Berger J., Can C., Elekcioglu İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.43, pp.357-366, 2019 (SCI-Expanded)
- XIV. **Occurrence and abundance of nematodes on onion in Turkey and their relationship with soil physicochemical properties**  
YAVUZASLANOĞLU E., SÖNMEZOĞLU Ö. A., Genc N., Akar Z. M., Ocal A., Karaca M. S., ELEKCİOĞLU İ. H., Ozsoy V. S., Aydogdu M.  
NEMATOLOGY, vol.21, no.10, pp.1063-1079, 2019 (SCI-Expanded)
- XV. **First record of *Aphelenchoides stammeri* (Nematoda: Aphelenchoidae) from Turkey**  
Dayi M., ULUDAMAR E., Akbulut S., ELEKCİOĞLU İ. H.  
JOURNAL OF NEMATOLOGY, vol.51, 2019 (SCI-Expanded)
- XVI. **DNA barcoding, phylogeny and phylogeography of the cyst nematode species of the *Avenae* group from the genus *Heterodera* (Tylenchida: Heteroderidae)**  
Subbotin S. A., Toumi F., Elekcioglu İ. H., Waeyenberge L., Tanha Maafi Z.  
NEMATOLOGY, vol.20, pp.671-702, 2018 (SCI-Expanded)
- XVII. **Occurrence of plant parasitic nematode species in important crops in the Southeast Anatolia Region**

**of Turkey**

Kasapoglu Uludamar E. B., Yildiz S., Imren M., öcal A., ELEKCİOĞLU İ. H.

TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.42, no.1, pp.63-74, 2018 (SCI-Expanded)

- XVIII. **Identification and distribution of root-knot nematode species (*Meloidogyne* spp.) in vegetable growing areas of Lakes Region in Turkey**  
Uysal G., Sogut M. A., Elekcioğlu İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.41, pp.105-122, 2017 (SCI-Expanded)
- XIX. **Association analysis of resistance to cereal cyst nematodes (*Heterodera avenae*) and root lesion nematodes (*Pratylenchus neglectus* and *P-thornei*) in CIMMYT advanced spring wheat lines for semi-arid conditions**  
Dababat A. A., Ferney G. H., Erginbas-Orakci G., Dreisigacker S., İMREN M., Toktay H., Elekcioğlu H. I., Mekete T., Nicol J. M., Ansari O., et al.  
BREEDING SCIENCE, vol.66, no.5, pp.692-702, 2016 (SCI-Expanded)
- XX. **Resistance of Iranian landrace wheat to the cereal cyst nematode, *Heterodera filipjevi***  
Yavuzaslanoglu E., Elekcioğlu İ. H., Nicol J. M., Sheedy J. G.  
AUSTRALASIAN PLANT PATHOLOGY, vol.45, pp.411-414, 2016 (SCI-Expanded)
- XXI. **First report of sugar beet nematode, *Heterodera schachtii* Schmidt, 1871 (Nemata: Heteroderidae) in sugar beet growing areas of Sanliurfa, Turkey**  
Cui J., Erginbas-Orakci G., Peng H., Huang W., Liu S., Qiao F., Elekcioğlu İ. H., İmren M., Dababat A. A., Peng D.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.40, pp.303-314, 2016 (SCI-Expanded)
- XXII. **The importance and management strategies of cereal cyst nematodes, *Heterodera* spp., in Turkey**  
Dababat A. A., Imren M., Erginbaş-Orakçı G., Ashrafi S., Yavuzaslanoglu E., Toktay H., Pariyar S. R., Elekcioğlu H. I., Morgounov A., Mekete T.  
EUPHYTICA, vol.202, pp.173-188, 2015 (SCI-Expanded)
- XXIII. **Distribution of nematodes on onion and their relationship with soil physicochemical characteristics in Karaman province, Turkey**  
Yavuzaslanoglu E., Dikici A., Elekcioğlu İ. H., Aydoğdu M.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.39, pp.251-259, 2015 (SCI-Expanded)
- XXIV. **Effect of *Ditylenchus dipsaci* Kuhn, 1857 (Tylenchida: Anguinidae) on onion yield in Karaman Province, Turkey**  
Yavuzaslanoglu E., Dikici A., Elekcioğlu İ. H.  
TURKISH JOURNAL OF AGRICULTURE AND FORESTRY, vol.39, pp.227-233, 2015 (SCI-Expanded)
- XXV. **Investigation on population dynamics of important plant parasitic nematodes (*Helicotylenchus multicinctus*, *H. dihystra* and *Meloidogyne* spp. (Nemata) in banana greenhouses grown in Bozyazi (Mersin)**  
Kasapoglu E. B., Yoraz G., Elekcioğlu İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.39, pp.199-207, 2015 (SCI-Expanded)
- XXVI. **Determining the Resistance of Some Bread Wheat Varieties against Root Lesion Nematodes: *Pratylenchus thornei* and *Pratylenchus neglectus* (Tylenchida: Pratylenchidae)**  
Imren M., Elekcioğlu İ. H., Özkan H.  
JOURNAL OF AGRICULTURAL SCIENCES-TARIM BİLİMLERİ DERGİSİ, vol.21, pp.61-70, 2015 (SCI-Expanded)
- XXVII. **Morphological and molecular identification of cereal cyst nematodes from the eastern Mediterranean region of Turkey**  
Imren M., Waeyenberge L., Viaene N., Elekcioğlu İ. H., Dababat A.  
TURKISH JOURNAL OF AGRICULTURE AND FORESTRY, vol.39, pp.91-98, 2015 (SCI-Expanded)
- XXVIII. **Determining the optimal *Meloidogyne Incognita* inoculum level, inoculation time, pathogenicity and gall development on tomato roots for resistance experiments in breeding programs**  
Bozbuga R., Imren M., Kasapoglu E. B., Toktay H., Elekcioğlu İ. H.  
Vegetos, vol.28, pp.70-75, 2015 (SCI-Expanded)
- XXIX. **Evaluation of Turkish wild Emmers (*Triticum dicoccoides* Koern.) and wheat varieties for resistance**

- to the root lesion nematodes (*Pratylenchus thornei* and *Pratylenchus neglectus*)**  
Toktay H., Imren M., Elekcioglu İ. H., Dababat A. A.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.39, pp.219-227, 2015 (SCI-Expanded)
- XXX. **NEMATODES ASSOCIATED WITH GREENHOUSE BANANA PRODUCTION IN TURKEY.**  
ELEKCIÖĞLU İ. H., Yoraz G., Kasapoglu E. B.  
JOURNAL OF NEMATOLOGY, vol.46, no.2, pp.160, 2014 (SCI-Expanded)
- XXXI. **STUDIES ON THE EFFECT OF HETERODERA AVENAE (WOLLENWEBER, 1924) ON YIELD LOSSES IN WHEAT VARIETIES IN THE EASTERN MEDITERRANEAN OF TURKEY**  
Imren M., TOKTAY H., Kasapoglu E. B., DABABAT A., elekcioglu İ. H.  
JOURNAL OF NEMATOLOGY, vol.46, no.2, pp.178, 2014 (SCI-Expanded)
- XXXII. **STUDIES ON THE CEREAL NEMATODES, HETERODERA SPP. AND PRATYLENCHUS SPP. IN TURKEY.**  
elekcioglu İ. H., Imren M., TOKTAY H., Yavuzosmanoglu-Sahin E., Kasapoglu E. B., Dababad A.  
JOURNAL OF NEMATOLOGY, vol.46, no.2, pp.159, 2014 (SCI-Expanded)
- XXXIII. **Morphological and molecular identification of a new species *Meloidogyne artiellia* (Franklin) on wheat fauna in Turkey**  
Imren M., Özarslandan A., Kasapoglu E. B., Toktay H., Elekcioglu İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.38, pp.189-196, 2014 (SCI-Expanded)
- XXXIV. **Investigation the Efficiency of Resistance Gene, *Cre1*, Against Mediterranean Cereal Cyst Nematode: *Heterodera latipons* Franklin (Tylenchida: Heteroderidae)**  
Imren M., Kasapoglu E. B., Dababat A., Toktay H., Elekcioglu İ. H.  
JOURNAL OF AGRICULTURAL SCIENCES-TARIM BILIMLERI DERGISI, vol.20, pp.261-268, 2014 (SCI-Expanded)
- XXXV. **Transgenic *Nicotiana tabacum* cultivar Samsun plants carrying the wild sugar beet *Hs1pro1* gene have resistance to root-knot nematodes**  
Sonmez C., Elekcioglu İ. H., Yücel A. M., Öktem H. A.  
TURKISH JOURNAL OF BIOLOGY, vol.38, pp.200-207, 2014 (SCI-Expanded)
- XXXVI. **Plant parasitic nematode species found on important cultivated plants in Adana**  
KASAPOGLU E. B., Imren M., ELEKCIÖĞLU İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.38, no.3, pp.333-350, 2014 (SCI-Expanded)
- XXXVII. **Resistance of winter wheat to *Heterodera filipjevi* in Turkey**  
Dababat A. A., Erginbaş-Orakçı G., Toktay H., İmren M., Akn B., Braun H., Dreisigacker S., Elekcioglu İ. H., Morgounov A.  
TURKISH JOURNAL OF AGRICULTURE AND FORESTRY, vol.38, pp.180-186, 2014 (SCI-Expanded)
- XXXVIII. **Effect of cereal cyst nematode *Heterodera avenae* (Tylenchida: Heteroderidae) on yield of some spring wheat varieties in Adana Province, Turkey**  
Imren M., Elekcioglu İ. H.  
TURKISH JOURNAL OF AGRICULTURE AND FORESTRY, vol.38, pp.820-823, 2014 (SCI-Expanded)
- XXXIX. **Identification of genetic resistance to cereal cyst nematodes; *Heterodera avenae* (Wollenweber, 1924), *Heterodera filipjevi* (Madzhidov, 1981) Stelter and *Heterodera latipons* (Franklin, 1969) in some international bread wheat germplasm**  
İmren M., Toktay H., Bozbuğa R., Orakci G. E., Dababat A., Elekcioglu İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.37, pp.277-282, 2013 (SCI-Expanded)
- XL. **Identification of Root knot nematode (*Meloidogyne chitwoodi* Golden, O'Bannon, Santo et Finley, 1980) in potato in Bitlis Province, Turkey**  
Özarslandan A., İmren M., Öcal A., Elekcioglu İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.37, pp.389-395, 2013 (SCI-Expanded)
- XLI. **Determination of resistance against to Cereal cyst nematode, *Heterodera avenae* (Wollenweber, 1924) in some wheat germplasm**  
İmren M., Toktay H., Bozbuğa R., Dababat A., Özkan H., Elekcioglu İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.37, pp.229-238, 2013 (SCI-Expanded)
- XLII. **Pathotype characterization of the cereal cyst nematode *Heterodera filipjevi* (Madzhidov, 1981)**

## **Stelter in Turkey**

Toktay H., İmren M., Bozbuğa R., Orakci G. E., Dababat A., Elekcioglu İ. H.

TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.37, pp.213-219, 2013 (SCI-Expanded)

- XLIII. **Pathotype determination of the cereal cyst nematode, *Heterodera avenae* (Wollenweber, 1924) in the Eastern Mediterranean Region in Turkey**  
İmren M., Toktay H., Bozbuğa R., Dababat A., Elekcioglu İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.37, pp.13-19, 2013 (SCI-Expanded)
- XLIV. **Determination of the cereal cyst nematode species, *Heterodera avenae* group in cereal fields of South East Anatolia**  
İmren M., Toktay H., ÖzarSLANDAN A., Nicol J. M., Elekcioglu I. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.36, pp.265-275, 2012 (SCI-Expanded)
- XLV. **Molecular characterization of cereal cyst nematodes from the South Anatolian Region in Turkey using ITS-rDNA sequences**  
İmren M., Waeyenberge L., Viaene N., Toktay H., Dababat A., ELEKÇİOĞLU İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.36, no.4, pp.491-499, 2012 (SCI-Expanded)
- XLVI. **Effect of temperatures on incubation duration of *Heterodera avenae* Wollenweber (Tylenchida: Heteroderidae) cysts and optimization of some materials and methods**  
İmren M., Toktay H., ÖZARSLANDAN A., Dababat A., ELEKÇİOĞLU İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.36, no.4, pp.585-593, 2012 (SCI-Expanded)
- XLVII. **Improved methodology for resistance screening in spring wheat against the root lesion nematode, *Pratylenchus thornei* (Sher et Allen) (Tylenchida: Pratylenchidae)**  
Toktay H., İmren M., Nicol J. M., Dababat A., ELEKÇİOĞLU İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.36, no.4, pp.533-540, 2012 (SCI-Expanded)
- XLVIII. **Distribution, frequency and occurrence of cereal nematodes on the Central Anatolian Plateau in Turkey and their relationship with soil physicochemical properties**  
Yavuzaslanoglu E., Elekcioglu H. I., Nicol J. M., Yorgancilar O., Hodson D., Yildirim A. F., Yorgancilar A., Bolat N.  
NEMATOLOGY, vol.14, pp.839-854, 2012 (SCI-Expanded)
- XLIX. **Molecular diagnosis of *Globodera rostochiensis* Wollenweber (Tylenchida: Heteroderidae) in the potato growing areas of Aegean Region, Turkey**  
Ulutaş E., ÖZARSLANDAN A., KAŞKAVALCI G., ELEKÇİOĞLU İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.36, no.1, pp.155-160, 2012 (SCI-Expanded)
- L. **Screening for resistance to *Heterodera filipjevi* (Madzhidov) Stelter (Tylenchida: Heteroderidae) and *Pratylenchus thornei* (Sher & Allen) (Tylenchida: Pratylenchidae) sister lines of spring wheat**  
Toktay H., Yavuzaslanoglu E., İmren M., Nicol J., ELEKÇİOĞLU İ. H., Dababat A.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.36, no.4, pp.455-461, 2012 (SCI-Expanded)
- LI. **Screening of bottle gourds (*Lagenaria siceraria* (Molina) Standley) genotypes with rootstock potential for watermelon production for resistance against *Meloidogyne incognita* (Kofoid & White, 1919) Chitwood and *Meloidogyne javanica* (Treub, 1885) Chitwood**  
ÖZARSLANDAN A., Sogut M. A., YETİŞİR H., ELEKÇİOĞLU İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.35, no.4, pp.687-697, 2011 (SCI-Expanded)
- LII. **Detection of the Mi-1.2 gene for resistance to root-knot-nematode (*Meloidogyne javanica* (Treub, 1885) Chitwood) in tomato by SCAR marker, Mi23**  
ÖZARSLANDAN A., Ekbic E., ELEKÇİOĞLU İ. H.  
TURKIYE ENTOMOLOJI DERGISI-TURKISH JOURNAL OF ENTOMOLOGY, vol.35, no.4, pp.677-686, 2011 (SCI-Expanded)

- LIII. **AFLP and SRAP markers linked to the mj gene for root-knot nematode resistance in cucumber**  
Devran Z., Fırat A. F., Tör M., MUTLU N., ELEKCİOĞLU İ. H.  
SCIENTIA AGRICOLA, vol.68, no.1, pp.115-119, 2011 (SCI-Expanded)
- LIV. **INDIRECT SELECTION OF CRE1 GENE IN WINTER WHEAT POPULATIONS**  
Caliskan M., Uranbey S., Nicol J., Akar T., Elekcioglu H., Kaya G.  
ARCHIVES OF BIOLOGICAL SCIENCES, vol.63, no.1, pp.49-53, 2011 (SCI-Expanded)
- LV. **Nematode biodiversity in agricultural and natural habitats of Sanliurfa, Turkey**  
Yildiz S., ELEKCİOĞLU İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.35, no.2, pp.381-394, 2011 (SCI-Expanded)
- LVI. **Identification of the Root-knot nematode species (*Meloidogyne* spp.) (Nemata: Meloidogynidae) collected from different parts of Turkey by molecular and morphological methods**  
ÖZARSLANDAN A., Elekcioglu H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.34, no.3, pp.323-335, 2010 (SCI-Expanded)
- LVII. **Determination of the pathotype group of *Heterodera filipjevi* (Madzhidov, 1981) population and resistance of H. populations against wheat genotypes**  
özarslandan M., ÖZARSLANDAN A., Nicol J., ELEKCİOĞLU İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.34, no.4, pp.515-527, 2010 (SCI-Expanded)
- LVIII. **Investigation on virulence of *Meloidogyne incognita* (Kofoid & White, 1919), *M. arenaria* (Neal, 1889) and *M. javanica* (Treub, 1885) (Tylenchida: Meloidogynidae) populations on resistant and susceptible tomato cultivars**  
ÖZARSLANDAN A., ELEKCİOĞLU İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.34, no.4, pp.495-502, 2010 (SCI-Expanded)
- LIX. **Hatching of *Heterodera filipjevi* in controlled and natural temperature conditions in Turkey**  
Şahin E., Nicol J. M., ELEKCİOĞLU İ. H., Rivoal R.  
NEMATOTOLOGY, vol.12, pp.193-200, 2010 (SCI-Expanded)
- LX. **Determination of root-knot nematodes species (*Meloidogyne* spp.) on weeds in Adana and Mersin province**  
Ercan H., ELEKCİOĞLU İ. H.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.33, no.3, pp.179-192, 2009 (SCI-Expanded)
- LXI. **IDENTIFICATION AND GENETIC DIVERSITY OF MELOIDOGYNE CHITWOODI IN POTATO PRODUCTION AREAS OF TURKEY**  
Devran Z., Mutlu N., ÖZARSLANDAN A., ELEKCİOĞLU İ. H.  
NEMATOTROPICA, vol.39, no.1, pp.75-83, 2009 (SCI-Expanded)
- LXII. **A new culturing method for the rice white tip nematode, *Aphelenchoides besseyi* Christie, 1942, on carrot discs**  
Tulek A., Kepenekci I., Cobanoglu S., Hekimhan H., Devran Z., Melik B., Elekcioglu H. I.  
RUSSIAN JOURNAL OF NEMATOLOGY, vol.17, no.2, pp.143-144, 2009 (SCI-Expanded)
- LXIII. **First record of *Bursaphelenchus vallesianus* Braasch, Schonfeld, Polomski, and Burgermeister in Turkey**  
Akbulut S., ELEKCİOĞLU İ. H., Keten A.  
TURKISH JOURNAL OF AGRICULTURE AND FORESTRY, vol.32, no.4, pp.273-279, 2008 (SCI-Expanded)
- LXIV. **Analysis of genetic variation between populations of *Meloidogyne* spp. from Turkey**  
Devran Z., Soeguet M. A., Goezel U., Toer M., ELEKCİOĞLU İ. H.  
RUSSIAN JOURNAL OF NEMATOLOGY, vol.16, no.2, pp.143-149, 2008 (SCI-Expanded)
- LXV. **Methyl bromide alternatives for controlling *Meloidogyne incognita* in pepper cultivars in the eastern mediterranean region of Turkey**



- SÖĞÜT M. A., Elekcioğlu I. H.  
TURKISH JOURNAL OF AGRICULTURE AND FORESTRY, vol.31, no.1, pp.31-40, 2007 (SCI-Expanded)
- LXVI. **Alternative treatments to methyl bromide in the eastern mediterranean region of Turkey**  
Yucel S., Elekcioğlu I. H., Can C., Sogut M. A., Ozarlandan A.  
TURKISH JOURNAL OF AGRICULTURE AND FORESTRY, vol.31, no.1, pp.47-53, 2007 (SCI-Expanded)
- LXVII. **Identification of common root-lesion nematode (*Pratylenchus thornei* Sher et Allen) loci in bread wheat**  
Toktay H., McIntyre C. L., Nicol J. M., Ozkan H., Elekcioğlu H. I.  
GENOME, vol.49, no.10, pp.1319-1323, 2006 (SCI-Expanded)
- LXVIII. **. Effect of plant parasitic nematodes at various initial inoculum densities on yield parameters of wheat in Turkey.**  
ELEKÇİOĞLU İ. H.  
INTERNATIONAL JOURNAL OF CLIMATOLOGY, vol.8, pp.85-88, 1998 (SCI-Expanded)
- LXIX. **Effect of mixed population of *Paratrophurus acristylus*, *Pratylenchus thornei* and *Paratylenchus* sp. (Nematoda: Tylenchida) on yield parameters of wheat in Turkey**  
ELEKÇİOĞLU İ. H.  
INTERNATIONAL JOURNAL OF CLIMATOLOGY, vol.7, pp.217-220, 1997 (SCI-Expanded)
- LXX. **Doğu Akdeniz Bölgesi Beyaz Sinek Türleri (Homoptera, Aleyrodidae).**  
ELEKÇİOĞLU İ. H.  
TÜRKİYE ENTOMOLOJİ DERGİSİ, vol.20, pp.105-111, 1996 (SCI-Expanded)
- LXXI. **Toprak Solarizasyonunun Nematodlar Üzerindeki Etkilerinin Araştırılması.**  
ELEKÇİOĞLU İ. H.  
TÜRKİYE ENTOMOLOJİ DERGİSİ, vol.19, pp.185-192, 1995 (SCI-Expanded)
- LXXII. **Bitki Paraziti Nematodlara Karşı Biyolojik Savaş**  
ELEKÇİOĞLU İ. H.  
TÜRKİYE ENTOMOLOJİ DERGİSİ, vol.14, pp.251-258, 1990 (SCI-Expanded)
- LXXIII. **Doğu Akdeniz Bölgesi Beyaz Sinek (Homoptera, Aleyrodidae) Türlerinin Saptanması.**  
ELEKÇİOĞLU İ. H.  
TÜRKİYE ENTOMOLOJİ DERGİSİ, vol.14, pp.85-96, 1990 (SCI-Expanded)

## Articles Published in Other Journals

- I. **Molecular Characterisation of 28S Region of *Xiphinema index* (Dorylaimida: Longidoridae) from Türkiye**  
ÖZTÜRK L., ELEKÇİOĞLU İ. H.  
Gaziosmanpaşa Üniversitesi Ziraat Fakültesi Dergisi, vol.41, no.2, pp.117-123, 2024 (Peer-Reviewed Journal)
- II. **The current situation of citrus nematode, *Tylenchulus semipenetrans* in Turkey**  
ULUDAMAR E., ELEKÇİOĞLU İ. H.  
Acta Horticulturae, no.1399, pp.457-460, 2024 (Scopus)
- III. **Molecular Characterization and Phylogeny of *Meloidogyne chitwoodi* Golden, O'Bannon, Santo & Finley 1980 Obtained from Potato Production Areas in Turkey**  
ASLAN A., DİNÇER D., BEHMAND T., özarlandan A., ÖZTÜRK L., ELEKÇİOĞLU İ. H.  
Kahramanmaraş Sütçü İmam Üniversitesi Tarım ve Doğa Dergisi, vol.26, no.1, pp.62-69, 2023 (Peer-Reviewed Journal)
- IV. **Interaction of Different *Fusarium culmorum* Isolates and *Pratylenchus thornei* on Wheat**  
ÖZDEMİR F. G. G., ARICI Ş. E., ELEKÇİOĞLU İ. H.  
Tekirdağ Ziraat Fakültesi Dergisi, vol.20, no.1, pp.1-11, 2023 (Scopus)
- V. **First report of *Bursaphelenchus leoni* Baujard, 1980 (Nematoda: Parasitaphelenchidae) from Pine Forests of Turkey**  
DAYI M., KASAPÖĞLU ULUDAMAR E. B., AKBULUT S., ELEKÇİOĞLU İ. H.

KSU TARIM VE DOĞA DERGISI-KSU JOURNAL OF AGRICULTURE AND NATURE, vol.25, no.4, pp.706-715, 2022 (ESCI)

- VI. **Vertical distribution of Root Lesion Nematodes (*Pratylenchus thornei* (Sher et Allen) *Pratylenchus neglectus* (Rensch) Filipjev & Schuurmans Stekhoven (Tylenchida: Pratylenchidae)) and Stem and Bulb nematode *Ditylenchus dipsaci* (Kühn, 1857) (Tylenchida: Anguinidae) on chickpea growing areas in Turkey**  
BEHMAND T., KASAPOĞLU ULUDAMAR E. B., ELEKCİOĞLU İ. H.  
KSU TARIM VE DOĞA DERGISI-KSU JOURNAL OF AGRICULTURE AND NATURE, vol.25, no.2, pp.282-291, 2022 (ESCI)
- VII. **Interaction of Three Populations of *Pratylenchus thornei* with *Fusarium culmorum* in Wheat Plant**  
Ozdemir F. G. G., ARICI ŞENKAYNAĞI Ş. E., ELEKCİOĞLU İ. H.  
KSU TARIM VE DOĞA DERGISI-KSU JOURNAL OF AGRICULTURE AND NATURE, vol.25, no.5, pp.1042-1050, 2022 (ESCI)
- VIII. **The Effects of Root Lesion Nematodes (*Pratylenchus thornei*) on Rhizobium Bacteria of Chickpea Plant**  
BEHMAND T., ELEKCİOĞLU İ. H.  
KSU TARIM VE DOĞA DERGISI-KSU JOURNAL OF AGRICULTURE AND NATURE, vol.25, no.3, pp.521-527, 2022 (ESCI)
- IX. **Investigation of the resistance of some citrus rootstocks against citrus nematode [*Tylenchulus semipenetrans* (Cobb, 1913) (Tylenchida: Tylenchulidae)] under field conditions in the Eastern Mediterranean Region**  
Kasapoğlu Uludamar E. B., Çimen B., Elekcioğlu İ. H.  
Bitki Koruma Bülteni, vol.61, no.1, pp.41-47, 2021 (Peer-Reviewed Journal)
- X. ***Meloidogyne javanica* Treub, 1885 (Chitwood, 1949) and some weed hosts in tomato (*Solanum esculentum* L.) fields in Tekirdağ, Turkey.**  
Öztürk L., Aslan A., Sivri N., ŞİN B., BEHMAND T., AVCI G. G., ELEKCİOĞLU İ. H.  
Munis Entomology Zoology, vol.15, no.1, pp.26-34, 2020 (Peer-Reviewed Journal)
- XI. **A Study on the Presence of Potato Cyst Nematodes: *Globodera rostochiensis* (Wollenweber, 1923) Skarbilovich, 1959 and *Globodera pallida* Stone 1973 (Tylenchida: Heteroderidae) in Nevşehir Province, Turkey.**  
ÖZARSLANDAN A., Dinçer D., Bozbuga R., İMREN M., ELEKCİOĞLU İ. H.  
Türk Tarım ve Doğa Bilimleri Dergisi, vol.6, no.2, pp.125-129, 2019 (Peer-Reviewed Journal)
- XII. **Morphologic and molecular identification of *Xiphinema americanum* associated with pine trees**  
Öztürk L., Behmand T., ŞİN B., Avci G. G., ELEKCİOĞLU İ. H.  
International Journal of Molecular Biology: Open Access, vol.3, no.3, pp.94-96, 2018 (Peer-Reviewed Journal)
- XIII. **EFFECT OF FUSARIUM CULMORUM SPORE SUSPENSION ON MORTALITY OF ROOT LESION NEMATODES IN VITRO CONDITIONS,**  
GÖZE ÖZDEMİR F. G., ARICI Ş. E., YAŞAR B., ELEKCİOĞLU İ. H.  
Black Sea Journal of Agriculture, vol.1, no.2, pp.29-33, 2018 (Peer-Reviewed Journal)
- XIV. **INCIDENCE OF VIRUSES AND VECTOR NEMATODES IN THRACE VINEYARDS, TURKEY**  
Öztürk L., AVCI G. G., ELEKCİOĞLU İ. H.  
International Journal of Agriculture and Environmental Research, vol.3, no.6, pp.4078-4089, 2017 (Peer-Reviewed Journal)
- XV. **Mass Culturing of Stem and Bulb Nematode (*Ditylenchus dipsaci*) for use in screening and Impression Training on Carrot Discs**  
BEHMAND T., Öztürk L., ELEKCİOĞLU İ. H.  
International Journal of Environment, Agriculture and Biotechnology, vol.2, no.6, pp.3148-3150, 2017 (Peer-Reviewed Journal)
- XVI. **SCREENING OF WILD *Cicer* spp. LINES COLLECTED FROM TURKEY AGAINST TO *Meloidogyne* spp. (*Meloidogyne incognita*, *M. javanica* and *M. chitwoodi*)**  
BEHMAND T., ELEKCİOĞLU İ. H., Öztürk L., KASAPOĞLU ULUDAMAR E. B.

International Journal of Agriculture and Environmental Research, vol.3, no.6, pp.4118-4122, 2017 (Peer-Reviewed Journal)

- XVII. **Determining the Optimal Meloidogyne Incognita Inoculum Level, Inoculation Time, Pathogenicity and Gall Development on Tomato Roots for Resistance Experiments in Breeding Programs**  
Bozbuğa R., İmren M., Kasapoğlu E. B., Toktay H., ELEKCİOĞLU İ. H.  
VEGETOS, vol.28, no.1, pp.70-75, 2015 (Scopus)
- XVIII. **Doğu ve Güneydoğu Anadolu Bölgelerinde Kök Ur Nematodları, Meloidogyne spp. (Goeldi) Üzerinde Araştırmalar**  
İmren M., Öcal A., ÖZARSLANDAN A., Toktay H., ELEKCİOĞLU İ. H.  
Türk Tarım ve Doğa Bilimleri Dergisi, vol.2, no.1, pp.52-59, 2015 (Peer-Reviewed Journal)
- XIX. **Meloidogyne incognita (Kofoid White, 1919) Chitwood ve Meloidogyne hapla (Chitwood, 1949) (Nemata: Meloidogynidae) Yumurtalarının Açılmasına Farklı Uygulamaların Etkisi ve İkinci Dönem Larvalarının Beslenmeden Yaşayabilme Süreleri**  
TOKTAY H., BOZBUĞA R., İMREN M., KASAPOĞLU ULUDAMAR E. B., ELEKCİOĞLU İ. H.  
TURKISH JOURNAL OF AGRICULTURAL AND NATURAL SCIENCE, vol.1, no.4, pp.509-515, 2014 (Peer-Reviewed Journal)
- XX. **Investigation of hosting status of barnyard grass [Echinochloa crus galli (L.)] and small flower umbrella sedge (Cyperus difformis L.) to rice white tip nematode (Aphelenchoides besseyi Christie, 1942) in rice growing areas of Turkey**  
Tulek A., Kepenekei I., ELEKCİOĞLU İ. H., Cobanoglu S.  
Munis Entomology & Zoology, vol.9, no.2, pp.804-809, 2014 (Peer-Reviewed Journal)
- XXI. **Doğu ve Güneydoğu Anadolu Bölgesi nde Kök ur nematodları Meloidogyne spp Goeldi 1887 Üzerinde Araştırmalar**  
İMREN M., TOKTAY H., ATILLA Ö., ÖZARSLANDAN A., ELEKCİOĞLU İ. H.  
Türk Tarım ve Doğa Bilimleri Dergisi, vol.1, no.4, pp.516-522, 2014 (Peer-Reviewed Journal)
- XXII. **In Vitro Koşullarda Yetiştirilen Bazı Sert Çekirdekli Meyve anaçlarının Kök Ur Nematodları Meloidogyne incognita ve Meloidogyne javanica Tylenchida Meloidogynidae na Karşı Dayanıklılık Düzeylerinin Saptanması Üzerine Araştırmalar**  
ÖZBEK B., KAYIM M., ELEKCİOĞLU İ. H.  
U.Ü. Ziraat Fakültesi Dergisi, vol.28, no.2, pp.27-35, 2014 (Peer-Reviewed Journal)
- XXIII. **Tahıl Kist Nematodlarının buğdaya zararları**  
elekcioglu i. h., KASAPOĞLU E. B., İMREN M.  
tarla sera dergisi, no.38, pp.65-67, 2013 (Non Peer-Reviewed Journal)
- XXIV. **Şanlıurfa ilinde buğday yetiştirilen iki bölgede nematod biyoçeşitliliğinin karşılaştırılması Nematode biodiversity compared in two wheat growing regions of Şanlıurfa**  
YILDIZ Ş., ELEKCİOĞLU İ. H.  
HR. Ü.Z.F. Dergisi, vol.16, no.4, pp.45-52, 2012 (Peer-Reviewed Journal)
- XXV. **Şanlıurfa İlinde Bazı Pamuk Alanlarında Nematod Biyoçeşitliliği Nematode Biodiversity in Some Cotton Growing Areas of Şanlıurfa Province Turkey**  
YILDIZ Ş., ELEKCİOĞLU İ. H.  
Tr. Doğa ve fen Derg., vol.1, no.1, pp.1-6, 2012 (Peer-Reviewed Journal)
- XXVI. **AFLP and SRAP markers linked to the mj gene for root-knot nematode resistance in cucumber. Sci. Agric**  
ELEKCİOĞLU İ. H.  
Piracicaba, Braz, vol.68, no.1, pp.115-119, 2011 (Peer-Reviewed Journal)
- XXVII. **First report of Heterorhabditis bacteriophora (Poinar, 1975) (Nematoda: Heterorhabditidae) isolated from the red palm weevil Rhynchophorus ferrugineus (Oliver, 1790 (Coleoptera: Curculionidae) in Turkey**  
ATAKAN E., GÖZEL U., ELEKCİOĞLU İ. H., Güneş Ç., Yüksel O.  
Bulletin EPPO, 2009 (Scopus)
- XXVIII. **First report of the Heterorhabditis bacteriophora (Poinar, 1975) (Nematoda: Heterorhabditidae)**

**isolated from the red palm weevil, *Rhynchophorus ferrugineus* (Oliver, 1790) (Coleoptera: Curculionidae) in Turkey**

Atakan E., ELEKCİOĞLU İ. H., Gözel U., Güneş Ç., Yüksel O.

OEPP/EPP Bulletin, vol.39, pp.189-193, 2009 (Peer-Reviewed Journal)

- XXIX. **Seasonal variation of field populations of *Heterodera filipjevi*, *Pratylenchus thornei* and *P. neglectus* on winter wheat in Turkey**  
ELEKCİOĞLU İ. H.  
Nematol. Medit, vol.36, pp.51-56, 2008 (Peer-Reviewed Journal)
- XXX. **Diyarbakır İli Buğday Sebze ve Bağ Alanlarında Önemli Bitki Paraziti Nematod Türlerinin Belirlenmesi**  
İMREN M., ELEKCİOĞLU İ. H.  
Ç.Ü. Fen ve Mühendislik Bilimleri Dergisi, vol.2, pp.111-118, 2007 (Peer-Reviewed Journal)
- XXXI. **Türkiye’de *Meloidogyne hapla*’nın yeni bir konukçusu**  
ELEKCİOĞLU İ. H.  
HR.Ü.Z.F. Dergisi, vol.9, no.3, pp.63-64, 2005 (Peer-Reviewed Journal)
- XXXII. **Doğu Akdeniz Bölgesi’nde *Tylenchulus semipenetrans* Cobb) ırklarının belirlenmesi.**  
ELEKCİOĞLU İ. H.  
BİTKİ KORUMA BÜLTENİ, vol.45, pp.9-16, 2005 (Peer-Reviewed Journal)
- XXXIII. **ürkiye de *Meloidogyne hapla* nın yeni bir konukçusu**  
ELEKCİOĞLU İ. H., SÖĞÜT M. A., ÖZARSLANDAN A.  
HR.Ü.Z.F. Dergisi, vol.9, no.3, pp.63-64, 2005 (Peer-Reviewed Journal)
- XXXIV. **Effect of managing plant parasitic nematodes on growth of wheat varieties in East Mediterranean Region of Turkey**  
ELEKCİOĞLU İ. H.  
Pakistan J. of Nematology, vol.23, no.2, pp.289-296, 2005 (Peer-Reviewed Journal)
- XXXV. **The screening of F2 plants containing *Mi*, root-knot nematodes resistance gene, in tomato breeding by PCR**  
ELEKCİOĞLU İ. H.  
Turkish Journal of Agriculture and Forestry, vol.28, pp.253-257, 2004 (Scopus)
- XXXVI. **Bazı hıyar, domates ve biber çeşitlerinin *Meloidogyne javanica* Chitwood 1949 Irk-1 ve *Meloidogyne incognita* Chitwood 1949 Irk-2’ye karşı dayanıklılıklarının araştırılması.**  
ELEKCİOĞLU İ. H.  
TÜRKİYE ENTOMOLOJİ DERGİSİ, vol.27, pp.11-23, 2003 (Peer-Reviewed Journal)
- XXXVII. **N Bolat, O.Buyuk, C.Cekic, HJ Braun, H Ekiz, H Elekcioğlu, I Gultekin, H Hekimhan, Y. Kaya, M Keser, M Mergoum, J Nicol, I. Ozseven, R. Rivoal, E Sahin, M Tekeoglu, R Trethowan, H Toktay, B Tunali, A Tulek, Z Uçkun, M van Ginkel and M William, A.F. Yildirim, A. Yorgancilar (2003). Research on Root Rots and Nematodes**  
ELEKCİOĞLU İ. H.  
Annual Wheat Newsletter, vol.49, pp.147-149, 2003 (Peer-Reviewed Journal)
- XXXVIII. **Identification of Root-Knot Nematodes in the Mediterranean Region of Turkey by using rDNA and mtDNA Markers**  
ELEKCİOĞLU İ. H.  
Turkish Journal of Agriculture and Forestry, vol.26, pp.337-341, 2002 (Scopus)
- XXXIX. ***Meloidogyne incognita* Chitwood (Nemata: Heteroderidae) ırk 2’nin farklı domates çeşitlerinde bazı biyolojik özellikleri üzerine araştırmalar.**  
ELEKCİOĞLU İ. H.  
TÜRKİYE ENTOMOLOJİ DERGİSİ, vol.24, pp.113-124, 2000 (Peer-Reviewed Journal)
- XL. **Diagnostic characteristics of *Pleocrotylechus striaticeps* Vovlas, Castillo et Lamberti, 1993 (Nematoda: Tylenchida) from East Mediterranean region and Central Anatolia**  
ELEKCİOĞLU İ. H.

Nematologia Mediteranea, vol.28, pp.207-212, 2000 (Peer-Reviewed Journal)

- XLII. **Induction of resistance on eggplants against Verticillium wilt disease and root-knot nematodes using biotic and abiotic factors**  
ELEKÇİOĞLU İ. H., CANIHOŞ Y., ÖZGÖNEN H., SÖĞÜT M. A.  
IOBC wprs Bulletin, vol.23, no.1, pp.63-69, 2000 (Peer-Reviewed Journal)
- XLIII. **Akdeniz Bölgesi nde sebze alanlarında bulunan Meloidogyne Goeldi 1892 Nemata Heteroderidae türlerinin ırklarının belirlenmesi Determination of Meloidogyne Goeldi 1892 Nemata Heteroderidae species races found in vegetable growing areas of the Mediterranean region of Turkey**  
SÖĞÜT M. A., ELEKÇİOĞLU İ. H.  
Türk. entomol. derg., vol.24, pp.33-40, 2000 (Peer-Reviewed Journal)
- XLIV. **Some taxonomic information on Pleciorotylenchus striaticeps Vovlas, Castillo et Lamberti (Nematoda: Tylenchida) found in the East Mediterranean region and Central Anatolia in Turkey**  
ELEKÇİOĞLU İ. H.  
Nematol. Medit, vol.28, pp.207-212, 2000 (Peer-Reviewed Journal)
- XLV. **Meloidogyne incognita Chitwood Nemata Heteroderidae ırk 2 nin farklı domates çeşitlerinde bazı biyolojik özellikleri üzerine araştırmalar Investigation on some biological aspects of Meloidogyne incognita Chitwood Nemata Heteroderidae race 2 on different tomato varieties**  
SÖĞÜT M. A., ELEKÇİOĞLU İ. H.  
Türk. entomol. derg., vol.24, pp.113-124, 2000 (Peer-Reviewed Journal)
- XLVI. **Tylenchulus semipenetrans Cobb (Nemata: Tylenchulidae)'ın turunçgil bahçesinde yıllara göre yayılışının araştırılması**  
ELEKÇİOĞLU İ. H.  
TÜRKİYE ENTOMOLOJİ DERGİSİ, vol.24, pp.101-112, 2000 (Peer-Reviewed Journal)
- XLVII. **Induction of resistance on eggplants against Verticillium wilt disease and root knot nematodes using biotic and abiotic factors In Integrated Control in Protected Crops Mediterranean Climate**  
ELEKÇİOĞLU İ. H., CANIHOŞ Y., ÖZGÖNEN ÖZKAYA H., SÖĞÜT M. A.  
IOBC wprs Bulletin, vol.23, no.1, pp.63-69, 2000 (Peer-Reviewed Journal)
- XLVIII. **Akdeniz Bölgesi'nde sebze alanlarında bulunan Meloidogyne Goeldi, (Nemata: Heteroderidae) türlerinin ırklarının belirlenmesi.**  
ELEKÇİOĞLU İ. H.  
TÜRKİYE ENTOMOLOJİ DERGİSİ, vol.24, pp.33-40, 2000 (Peer-Reviewed Journal)
- XLIX. **Bir Turunçgil Bahçesinde Bulunan Nematodların Dikey ve Yatay Populasyon Dağılımları.**  
ELEKÇİOĞLU İ. H.  
Ç.Ü. Ziraat Fakültesi Dergisi, vol.12, pp.153-162, 1997 (Peer-Reviewed Journal)
- L. **The cereal cyst nematode Heterodera filipjevi (Madhidov) in Turkey**  
ELEKÇİOĞLU İ. H.  
Nematol. medit, vol.24, pp.135-138, 1996 (Peer-Reviewed Journal)
- L. **Solarizasyonun Değişik Toprak Derinliklerinde Bulunan Nematodlar Üzerine Etkilerinin Araştırılması.**  
ELEKÇİOĞLU İ. H.  
Ç.Ü. Ziraat Fakültesi Dergisi, vol.11, pp.197-206, 1996 (Peer-Reviewed Journal)
- LII. **Plant parasitic nematodes associated with citrus in the East Mediterranean region of Türkiye. J.**  
ELEKÇİOĞLU İ. H.  
J. Turk. Phytopath, vol.24, pp.29-37, 1995 (Peer-Reviewed Journal)
- LIII. **Occurrence of Pasteuria bacteria as parasites of plant-parasitic nematodes in the East Mediterranean region of Turkey**  
ELEKÇİOĞLU İ. H.  
Nematol. medit, vol.23, pp.213-215, 1995 (Peer-Reviewed Journal)
- LIV. **Plant parasitic nematodes associated with citrus in the East Mediterranean region of Türkiye**  
ELEKÇİOĞLU İ. H.  
J. Turk. Phytopath, vol.24, pp.29-37, 1995 (Peer-Reviewed Journal)

- LIV. **Occurrence of fungal parasites of nematodes in the East Mediterranean region of Turkey.**  
ELEKÇİOĞLU İ. H.  
J. Turk. Phytopath, vol.24, pp.139-143, 1995 (Peer-Reviewed Journal)
- LV. **Die Verbreitung und Populationsdichte von Getreidenematoden in Zentralanatolien. Ergebnis zweier Surveys**  
ELEKÇİOĞLU İ. H.  
Phytomedizin, vol.24, pp.37-38, 1994 (Peer-Reviewed Journal)
- LVI. **Die Verbreitung und Populationsdichte von Getreidenematoden - mögliche Ursache für Auswinterungsschäden? - Beispiele aus Süddeutschland und Zentral-Anatolien.**  
ELEKÇİOĞLU İ. H.  
Mitt. a. d. Biol. Bundesanstalt, vol.301, pp.342, 1994 (Peer-Reviewed Journal)
- LVII. **Plant parasitic nematodes in the East Mediterranean region of Turkey**  
ELEKÇİOĞLU İ. H.  
Nematol. medit, vol.22, pp.59-63, 1994 (Peer-Reviewed Journal)
- LVIII. **Untersuchungen zum Auftreten und zur Verbreitung phytoparasitärer Nematoden in den landwirtschaftlichen Hauptkulturen des ostmediterranean Gebietes der Türkei.**  
ELEKÇİOĞLU İ. H.  
PLITS, vol.10, no.5, pp.120, 1992 (Peer-Reviewed Journal)
- LIX. **Bitki Paraziti Nematodların Önemi**  
ELEKÇİOĞLU İ. H.  
Ç.Ü. Ziraat Fakültesi Dergisi, vol.6, pp.179-188, 1991 (Peer-Reviewed Journal)

## Books & Book Chapters

- I. **Zararlı Nematodlar ve Mücadele Yolları**  
ELEKÇİOĞLU İ. H., ÖZARSLANDAN A.  
in: Muz Yetiştiriciliği, Sevgi Paydaş, Editor, NOBEL AKADEMİK YAYINCILIK, Adana, pp.106-113, 2020
- II. **Identification of genetic resistance to cereal cyst nematode (Heterodera filipjevi) for international bread wheat improvement**  
NICOL J., BOLAT N., YILDIRIM A., YORGANCILAR A., KILINÇ A., ELEKÇİOĞLU İ. H., ŞAHİN E., ERGİNBAŞ ORAKÇI G., BRAUN H.  
in: Cereal Cyst Nematode Status Research and Outlook, I.T. Riley, J.M. Nicol, Editor, CIMMYT, pp.160-165, 2009
- III. **Occurrence of cereal cyst nematode, Heterodera avenae in Southeast Anatolia, Turkey**  
İMREN M., TOKTAY H., ÖCAL A., NICOL J., ELEKÇİOĞLU İ. H.  
in: Cereal Cyst Nematode Status Research and Outlook, I.T. Riley, J.M. Nicol, Editor, CIMMYT, pp.82-87, 2009
- IV. **Current global knowledge of the usability of cereal cyst nematode resistant bread wheat germplasm through international germplasm exchange and evaluation**  
NICOL J., OGBONNAYA F., SINGH A., BISHOI S., KANWAR R., HL L., CHEN S., DELIANG P., BOLAT N., ŞAHİN E., et al.  
in: Cereal Cyst Nematode Status Research and Outlook, I.T. Riley, J.M. Nicol, Editor,  
[http://www.spipm.cgiar.org/c/document\\_library/get\\_...](http://www.spipm.cgiar.org/c/document_library/get_...), pp.149-153, 2009
- V. **The International Breeding strategy for the Incorporation of Resistance in Bread Wheat against the Soil Borne pathogens (Drayland Root Rot) and Cyst and Lesion Cereal Nematodes) Using Conventional and Molecular Tools.**  
NICOL J., BOLAT N., BAĞCI A., TRETOWAN R., WILLIAM m., HEKİMİHAN H., YILDIRIM A., ŞAHİN E., ELEKÇİOĞLU İ. H., TOKTAY H., et al.  
in: Wheat Production in Stressed Environments, Buck, H.T., Nisi, J.E., Solomon, N., Editor, Springer, pp.125-137, 2007

## Refereed Congress / Symposium Publications in Proceedings

- I. **The current situation of citrus nematode, *Tylenchulus semipenetrans* in Turkey**  
KASAPÖĐLU ULUDAMAR E. B., ELEKÇIOĐLU İ. H.  
14 TH International Citrus Congress, Mersin, Turkey, 6 - 11 November 2022, pp.156
- II. **Investigation on the effectiveness of some plant extractions against *Ditylenchus dipsaci* and *Meloidogyne incognita***  
ELEKÇIOĐLU İ. H., KASAPÖĐLU ULUDAMAR E. B., TAŞKIN A.  
7TH INTERNATIONAL CONGRESS OF NEMATOLOGY (ICN), Antibes Juan-les-Pins, France, 1 - 06 May 2022, pp.273
- III. **Investigations of mixed infections of root lesion nematodes (*Pratylenchus thornei* and *Pratylenchus neglectus*) and cereal cyst nematodes (*Heterodera avenae* and *Heterodera latipons*) on wheat.**  
ELEKÇIOĐLU İ. H., KASAPÖĐLU ULUDAMAR E. B.  
7TH INTERNATIONAL CONGRESS OF NEMATOLOGY (ICN), Antibes Juan-les-Pins, France, 1 - 06 May 2022, pp.534
- IV. **The development of root-lesion nematodes (*Pratylenchus thornei*, *P. neglectus*, *P. penetrans*) on some chickpea varieties.**  
ELEKÇIOĐLU İ. H., KASAPÖĐLU ULUDAMAR E. B., AYAZ İ., BEHMAND T.  
7TH INTERNATIONAL CONGRESS OF NEMATOLOGY (ICN), Antibes Juan-les-Pins, France, 1 - 06 May 2022, pp.417
- V. **Bitki paraziti nematodlara karşı biyolojik mücadele. Türkiye 5**  
ELEKÇIOĐLU İ. H.  
Biyolojik Mücadele Kongresi Bildirileri, Erzurum, Turkey, pp.61
- VI. **The effect of plant parasitic nematodes on growth and yield parameters of wheat in a semi-field experiment**  
ELEKÇIOĐLU İ. H., GÖZEL U.  
5th International Wheat Conference, Ankara, Turkey, pp.128
- VII. **Seralarda Hıyar Kök Çürüklüğü ve Kök-Ur Nematoduna Karşı Toprak Dezenfektanının Düşük Dozunun Solarizasyon İle Kombinasyonunun Etkisi.**  
ELEKÇIOĐLU İ. H., SÖĐÜT M. A., YÜCEL S.  
Türkiye VIII. Fitopatoloji Kongresi Bildirileri, Ankara Üniversitesi Ziraat Fakültesi, Ankara, Ankara, Turkey, pp.190
- VIII. **. Doğu Akdeniz Bölgesi Buğday Alanlarında Tahıl Kist Nematodu (*Heterodera avenae* group) Türlerinin Belirlenmesi**  
ELEKÇIOĐLU İ. H., ÖZARSLANDAN A.  
Türkiye IV. Bitki Koruma Kongresi Bildiri Özetleri, Kahramanmaraş, Turkey, pp.10
- IX. **Bitki Paraziti Nematodların Bazı Buğday Çeşitlerinde Verime Olan Etkilerinin Araştırılması. Türkiye VIII**  
ELEKÇIOĐLU İ. H., GÖZEL U.  
Fitopatoloji Kongresi Bildirileri, Ankara Üniversitesi Ziraat Fakültesi, Ankara, Turkey, pp.265
- X. **Mardin ili Mısır (*Zea mays* L.) Üretim Alanlarında Bitki Paraziti Nematod Türlerinin Belirlenmesi**  
öcal a., IMREN M., KILIÇ m., KASAPÖĐLU ULUDAMAR E. B., ELEKÇIOĐLU İ. H.  
2nd INTERNATIONAL AGRICULTURE CONGRESS, Ankara, Turkey, 21 November 2019 - 24 November 1919, pp.153
- XI. **PLANT PARASITIC NEMATODES ASSOCIATED WITH IMPORTANT GARLIC (*Allium sativum* L.) GROWING AREAS IN TURKEY**  
ÖCAL A., YAVUZASLANOĐLU E., ELEKÇIOĐLU İ. H.  
INTERNATIONAL BIOLOGICAL, AGRICULTURAL AND LIFE SCIENCE CONGRESS 2019, Lviv, Ukraine, 7 - 08 November 2019, pp.60
- XII. **POTENTIAL OF AQUEOUS EXTRACTS FROM SOME PLANTS FOR THE CONTROL OF PLANT PARASITIC NEMATODES, *HETERODERA AVENAE*, *PRATYLENCHUS THORNEI* AND *PRATYLENCHUS PENETRANS***  
KASAPÖĐLU ULUDAMAR E. B., taşkın a., ELEKÇIOĐLU İ. H.  
10th International Scientific Agriculture Symposium „AGROSYM 2019, jahorina, Bosnia And Herzegovina, 3 - 06 October 2019, pp.290
- XIII. **PLANT PARASITIC NEMATODES ASSOCIATED WITH CORN (*Zea mays* L.) GROWING AREAS IN DIYARBAKIR PROVINCE, TURKEY**

öcal a., İMREN M., KASAPÖĐLU ULUDAMAR E. B., ELEKCİÖĐLU İ. H.

10th International Scientific Agriculture Symposium „AGROSYM 2019, jahorina, Bosnia And Herzegovina, 3 - 06 October 2019, pp.461

- XIV. **plant parasitic nematodes associated with corn(Zea mays)growing areas in Diyarbakır province, Turkey**

öcal a., İMREN M., KASAPÖĐLU ULUDAMAR E. B., ELEKCİÖĐLU İ. H.

X. international scientific agriculture symposium "agrosym 2019, Jahorina, Bosnia And Herzegovina, 3 - 06 September 2019, pp.461

- XV. **Identification Of Meloidogyne incognita On Parsley Areas In Antalya Province.**

DİNÇER D., ASLAN A., ÖZARSLANDAN A., YAVUZ Ş., ELEKCİÖĐLU İ. H.

2. ULUSLARARASI AKDENİZ SEMPOZYUMU- 2. International Mediterranean Symposium, Mersin, Turkey, 23 - 18 May 2019, vol.1, pp.286-287

- XVI. **TAHİL KİST NEMATODLARI, HETERODERA AVENAE VE HETERODERA LATİPONS' UN YARI DOĐA KOŞULLARINDA BUĐDAY ÇEŞİTLERİ ÜZERİNDE GELİŞMELERİNİN TÜRLER ARASI REKABET YÖNÜNDEN İNCELENMESİ**

KASAPÖĐLU ULUDAMAR E. B., ELEKCİÖĐLU İ. H.

türkiye7. bitki koruma kongresi, MuĐla, Turkey, 14 - 17 November 2018, pp.55

- XVII. **Micropropagation Of Some American Rootstocks Using Meristem Tip Culture**

Öztürk L., AVCI G. G., BENHMAND T., ŞİN B., ELEKCİÖĐLU İ. H.

9. AGROSYM, Bosnia And Herzegovina, 4 - 07 October 2018, pp.1259-1264

- XVIII. **Multiple resistance of the cereal cyst nematode (Heterodera avenae) and root lesion nematodes (Pratylenchus thornei and Pratylenchus neglectus) in wheat varieties**

KASAPÖĐLU ULUDAMAR E. B., ELEKCİÖĐLU İ. H.

33th Symposium of the European Society of Nematologists, Ghent, Belgium, 9 - 13 September 2018, pp.302

- XIX. **KÖK LEZYON NEMATODLARI (PRATYLENCHUS THORNEİ VE P. NEGLECTUS) VE KİST NEMATODLARI (HETERODERA AVENAE VE HETERODERA LATİPONS)'NIN IN VİTRO KOŞULLARDA BUĐDAY ÇEŞİTLERİNDE GELİŞMELERİNİN ARAŞTIRILMASI**

KASAPÖĐLU ULUDAMAR E. B., ELEKCİÖĐLU İ. H.

Türkiye 7. bitki koruma kongresi, MuĐla, Turkey, 9 - 13 September 2018

- XX. **Multiple resistance of the cereal cyst nematode (Heterodera latipons) and root lesion nematodes (Pratylenchus thornei and Pratylenchus neglectus) in wheat**

KASAPÖĐLU ULUDAMAR E. B., ELEKCİÖĐLU İ. H.

33th Symposium of the European Society of Nematologists, Ghent, Belgium, 9 - 13 September 2018, pp.303

- XXI. **Optimising screening studies with wild chickpea genotypes collected from Turkey against the stem and bulb nematode, Ditylenchus dipsaci**

behmand t., ELEKCİÖĐLU İ. H., BERGER j., KASAPÖĐLU ULUDAMAR E. B., KAHRAMAN a.

euopean society nematologists, Ghent, Belgium, 9 - 13 September 2018

- XXII. **Histological observations in wheat genotypes parasitised by Heterodera avenae, H. latipons and Pratylenchus neglectus**

KASAPÖĐLU ULUDAMAR E. B., ELEKCİÖĐLU İ. H.

33th Symposium of the European Society of Nematologists, Ghent, Belgium, 9 - 13 September 2018

- XXIII. **Investigation of the nematicidal effect of Fusarium culmorum culture filtration concentrations on root lesion nematodes**

GÖZE ÖZDEMİR F. G., ARICI Ş. E., YAŞAR B., ELEKCİÖĐLU İ. H.

International Agriculture Science Congress, 9 - 12 May 2018

- XXIV. **Türkiye'de Tarım Alanlarındaki Nematolojik Sorunlar ve Önemli Bitki Paraziti Nematod Türleri**

öcal a., öztürk l., behmand t., KASAPÖĐLU ULUDAMAR E. B., ELEKCİÖĐLU İ. H.

INTERNATIONAL AGRICULTURE CONGRESS, Komrat/ Gagauzya, Moldova, 3 - 06 May 2018, pp.111

- XXV. **DETERMINATION OF POTATO CYST NEMATODU (Globoderarostochiensis Wollenweber (TYLENCHIDA: HETERODERIDAE) IN POTATO FIELDS OF NEVŞEHİR PROVINCE**

ÖzarSLandan A., BozbuĐa R., Dinçer D., İMREN M., ELEKCİÖĐLU İ. H.



İç Anadolu Bölgesi 3. Tarım ve Gıda Kongresi, 26 - 28 November 2017

- XXVI. **Fusarium culmorum kültür filtratı konsantrasyonlarının pratylenchus torei üzerine etkisi**  
GÖZE ÖZDEMİR F. G., ARICI Ş. E., YAŞAR B., ELEKCİOĞLU İ. H.  
3rd ASM, international congress of agriculture and environment, 16-18.11.2017, 16 - 18 November 2017
- XXVII. **Nevşehir İli Patates Ekiliş Alanlarında Kist Nematodu Globodera Rostochiensis Wollenweber (Tylenchida:Heteroderidae)'İN Belirlenmesi**  
ÖZARSLANDAN A., Refik B., Dinçer D., İMREN M., ELEKCİOĞLU İ. H.  
İÇ ANADOLU BÖLGESİ 3. TARIM VE GIDA KONGRESİ (26-28 EKİM 2017), CUMHURİYET ÜNİVERSİTESİ, Sivas, Turkey, 26 - 28 October 2017, vol.1, pp.361-362
- XXVIII. **Observations on feeding activities of some plant parasitic nematodes on wheats**  
KASAPOĞLU ULUDAMAR E. B., ELEKCİOĞLU İ. H.  
Second International Mediterranean Science and Engineering Congress (IMSEC) 2017, Adana, Turkey, 25 - 27 October 2017, pp.437
- XXIX. **PESTICIDES AND THEIR EFFECT ON ENVIRONMENT**  
ELEKCİOĞLU İ. H., ELEKCİOĞLU N. Z.  
INTERNATIONAL CONGRESS OF HEALTH AND ENVIRONMENT, Adana, Turkey, 23 - 25 October 2017, pp.94
- XXX. **Long term researches on the root lesion nematodes, Pratylenchus neglectus, P. thornei and cereal cyst nematodes, Heterodera avenae, H. filipjevi, H. latipons in Turkey**  
ELEKCİOĞLU İ. H., İMREN M., TOKTAY H., KASAPOĞLU E. B., YAVUZOSMANOĞLU ŞAHİN E., DABABAT A.  
6th International Cereal Nematodes Symposium, Agadir, Morocco, 11 - 15 September 2017, pp.5
- XXXI. **Investigation of Cellular Variation in Some Wheat Varieties Caused by the Cereal Nematodes (Pratylenchus thornei, P. neglectus, Heterodera avenae, and H. latipons)**  
KASAPOĞLU ULUDAMAR E. B., AYAZ İ., İMREN M., DABABAT A., ELEKCİOĞLU İ. H.  
Sixth International Cereal Nematodes Symposium, Agadir, Morocco, 11 - 15 September 2017, pp.34
- XXXII. **Investigation of cellular variation in some wheat varieties caused by Root Lesion Nematode (Pratylenchus thornei and P. neglectus) and Cereal Cyst Nematodes (Heterodera avenae and H.latipons)**  
KASAPOĞLU E. B., AYAZ İ., İMREN M., DABABAT A., ELEKCİOĞLU İ. H.  
6th International Cereal Nematodes Symposium, Agadir, Morocco, 11 - 15 September 2017, pp.34
- XXXIII. **Long term research on the root lesion nematodes, Pratylenchus neglectus, P. thornei and cereal cyst nematodes, Heterodera avenae, H. filipjevi, H. latipons in Turkey**  
ELEKCİOĞLU İ. H., İMREN M., TOKTAY H., KASAPOĞLU ULUDAMAR E. B., YAVUZOSMANOĞLU ŞAHİN E., DABABAT A.  
Sixth International Cereal Nematodes Symposium, Agadir, Morocco, 11 - 15 September 2017, pp.5
- XXXIV. **Plant Parasitic Nematodes Associated With Persimmon (Diospyros kaki) And Pomegranate (Punica granatum) Growing Areas In Adiyaman Province, Turkey**  
Öcal A., TOKTAY H., TAN A. N., ELEKCİOĞLU İ. H.  
12th International Symposium of the Russian Society of Nematologists, Nizhny, Russia, 31 July - 06 August 2017
- XXXV. **PASTEURIA, A BACTERIA USED IN THE BIOLOGICAL CONTROL OF PLANT-PARASITIC NEMATODES**  
Öztürk L., AVCI G. G., BEHMAND T., ELEKCİOĞLU İ. H.  
40TH WORLD VINE AND WINE CONGRESS, Sofya, Bulgaria, 29 May - 02 June 2017, pp.26
- XXXVI. **İnteraction between pratylenchus thornei and fusarium culmorum in wheat**  
GÖZE ÖZDEMİR F. G., ARICI Ş. E., ELEKCİOĞLU İ. H.  
69.international symposium on crop protection, 23 May 2017
- XXXVII. **İN vitro studies of fusarium culmorum against the nematode pratylenchus thornei**  
GÖZE ÖZDEMİR F. G., ARICI Ş. E., ELEKCİOĞLU İ. H.  
69.international symposium on crop protection, 23 May 2017
- XXXVIII. **Control of Xiphinema spp. in Tomato (Solanum lycopersicum L.) by Using Grape Pomace**  
Öztürk L., ÖCAL A., AVCI G. G., ELEKCİOĞLU İ. H.  
2. International Balkan Agriculture Congress, Tekirdağ, Turkey, 16 - 18 May 2017, pp.117
- XXXIX. **EFFECTS OF SOME EDIBLE PLANTS FROM TEKİRDAĞ ON PLANT-PARASITIC XIPHINEMA SPP. SPECIES IN VITRO SURVIVAL**

- Öztürk L., ŞİN B., AVCI G. G., ELEKCİOĞLU İ. H.  
2. International Balkan Agriculture Congress, Tekirdağ, Turkey, 16 - 18 May 2017, pp.20
- XL. **Accessions of wild Cicer genotypes in the resistance against root-lesion nematodes (*Pratylenchus thornei* and *P. neglectus*)**  
BEHMAND T., ELEKCİOĞLU İ. H.  
2. International Balkan Agriculture Congress, Tekirdağ, Turkey, 16 - 18 May 2017, pp.131
- XLII. **Plant parasitic nematodes associated with olive (*Olea europaea* L.) and fig (*Ficus carica* L.) growing areas in Adıyaman Province, Turkey**  
ÖCAL A., TAN A. N., ELEKCİOĞLU İ. H.  
2. INTERNATIONAL BALKAN CONGRESS, 16 - 18 May 2017, pp.132
- XLIII. **Plant parasitic nematodes associated with almond (*Prunus dulcis* Mill.) and walnut (*Juglans regia* L.) growing areas in Adıyaman province, Turkey**  
TAN A. N., Öcal A., ELEKCİOĞLU İ. H.  
2. International Balkan Agriculture Congress, Tekirdağ, Turkey, 16 - 18 May 2017, pp.111
- XLIII. **EFFECTS OF SOME COMMON WEEDS FROM TEKIRDAG ON PLANT PARASITIC XIPHINEMA SPECIES IN VITRO SURVIVAL**  
Öztürk L., ŞİN B., AVCI G. G., ELEKCİOĞLU İ. H.  
2. International Balkan Agriculture Congress, Tekirdağ, Turkey, 16 - 18 May 2017, pp.22
- XLIV. **identification and comparative transcriptomic analysis of *H. schachtii*, *H. avenae* and *globodera pallida***  
KASAPOĞLU E. B., ELEKCİOĞLU İ. H., Elashry A., Grundler F.  
4 th annual conference of the cost action, Bled, Slovenia, 1 - 03 March 2017, pp.46
- XLV. **Identification and Comperative Analysis of the Transcriptome of *H.schachtii*, *H. avenae*, and *Globodera pallida***  
KASAPOĞLU ULUDAMAR E. B., ELEKCİOĞLU İ. H., elashry a., grundler f.  
4 th annual conference of the cost action, bled, Slovenia, 1 - 03 March 2017, pp.44
- XLVI. **Adana İli Kavun ve Karpuz Alanlarında Kök ur *Meloidogyne spp* Nematodları ve Ekonomik Önemi**  
Dinçer D., Özarslandan A., ELEKCİOĞLU İ. H.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, 5 - 08 September 2016
- XLVII. **TÜRKİYE DE NOHUT YETİŞTİRİLEN ALANLARDA BİTKİ PARAZİTİ NEMATOD TÜRLERİNİN ARAŞTIRILMASI**  
BEHMAND T., KASAPOĞLU E. B., KAHRAMAN A., BERGER J., CAN C., ELEKCİOĞLU İ. H.  
Türkiye VI. Bitki Koruma Kongresi, Konya, Turkey, 5 - 08 September 2016, pp.470
- XLVIII. **Türkiye de nohut yetiştirilen alanlarda bitki paraziti nematode türlerinin araştırılması**  
Behmand T., KASAPOĞLU E. B., Kahraman A., Berger J., CAN C., ELEKCİOĞLU İ. H.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, 5 - 08 September 2016
- XLIX. **Bazı kışlık ve yazlık buğday genotiplerinde Tahıl kist nematoduna dayanıklılık sağlayan *Cre1* ve *Cre3* Genlerinin Tespiti**  
KASAPOĞLU E. B., İMREN M., Bozbuğa R., TOKTAY H., ELEKCİOĞLU İ. H.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, Konya, Turkey, 5 - 08 September 2016
- L. **Edirne Kırklareli ve Tekirdağ İllerinde önemli kültür bitkilerinde Parazit Nematodlar Üzerine Araştırmalar**  
Öztürk L., Güvenç A., ELEKCİOĞLU İ. H.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, Konya, Turkey, 5 - 08 September 2016
- LI. **Bazı Kışlık ve Yazlık Buğday Genotiplerinde Tahıl Kist Nematoduna Dayanıklılık Sağlayan *Cre1* ve *Cre3* Genlerinin Tespiti**  
KASAPOĞLU E. B., İmren M., Behmand T., ELEKCİOĞLU İ. H.  
Türkiye VI. Bitki Koruma KONGresi, Konya, Turkey, 5 - 08 September 2016, pp.254
- LII. **Bazı Kışlık ve Yazlık Buğday Genotiplerinde Tahıl Kist Nematoduna Dayanıklılık Sağlayan *Cre1* ve *Cre3* Genlerinin Tespiti**  
KASAPOĞLU E. B., İMREN M., behmand t., ELEKCİOĞLU İ. H.

türkiye 6.bitkikoruma kongresi, Konya, Turkey, 5 - 08 September 2016

- LIII. **Dayanıklı çeşit geliştirme çalışmalarında Soğan sak nematodu *Ditylenchus dipsaci* nun kitle üretimi için havuç disk yönteminin kullanılması**  
Behmand T., Berger J., ELEKCİOĞLU İ. H.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, 5-8 Eylül, Konya, Türkiye. P: 469., 5 - 08 September 2016
- LIV. **Heterodera latipons un ülkemiz popülasyonları arasında fenotipik ve genetik farklılıkları**  
İMREN M., TOKTAY H., Dababat A., ELEKCİOĞLU İ. H.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, 5-8 Eylül, Konya, Türkiye. P: 476., Konya, Turkey, 5 - 08 September 2016
- LV. **Doğu Akdeniz Bölgesi nde çilek serasında Çilek yaprak nermatodu *Aphelenchoides fragariae* Nemata *Aphelenchidae* nun tespiti**  
Özarslandan A., Dinçer D., ELEKCİOĞLU İ. H.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, Konya, Turkey, 5 - 08 September 2016
- LVI. **Barley wheat and oat resistance to the cereal cyst nematode *Heterodera latipons* in Turkey**  
İMREN M., Duman N., TOKTAY H., Dababat A., ELEKCİOĞLU İ. H.  
32nd European Society of Nematologists (ESN), Braga, Portugal, 28 August - 01 September 2016
- LVII. **Performances of some East Anatolian wheat lanraces and wild relatives against root lesion nematodes *Pratylenchus thornei* and *P neglectus***  
TOKTAY H., Öcal A., İMREN M., Bozbuğa R., Dababat A., ELEKCİOĞLU İ. H.  
32nd European Society of Nematologists (ESN), Braga, Portugal, 28 August - 01 September 2016
- LVIII. **Screening of chickpea genotypes collected from Turkey against the root lesion nematodes *Pratylenchus neglectus* and *Pratylenchus thornei***  
BEHMAND T., KASAPÖĞLU E. B., KAHRAMAN A., BERGER J., ELEKCİOĞLU İ. H.  
32. SYMPOSIUM EUROPEAN SOCIETY OF NEMATOLOGİSTS (ESN), Braga, Portugal, 28 August - 01 September 2016, pp.229
- LIX. **Investigation of multiple resistance on some wheat genotypes against root lesion nematodes, *Pratylenchus thornei* and *P. neglectus***  
KASAPÖĞLU E. B., İmren M., ELEKCİOĞLU İ. H.  
32nd Symposium of the European Society of Nematologists,, Braga, Portugal, 28 August - 01 September 2016, pp.289
- LX. **Current data on pathotype characterization and resistance reactions of cereal cyst nematodes *Heterodera avenae* and *Heterodera filipjevi* in Turkey**  
İMREN M., TOKTAY H., KASAPÖĞLU E. B., Dababat A., Bozbuğa R., ELEKCİOĞLU İ. H.  
68th International Symposium on Crop Protection, Gent, Belgium, 17 - 18 May 2016
- LXI. **Grapevine Fanleaf Virus Identification Distribution and Spesific Transmission by Vector *Xiphinema* spp in Tekirdag District of Turkey**  
Öztürk L., ELEKCİOĞLU İ. H.  
32nd European Society of Nematologists (ESN), Braga, Portugal, 28 August - 01 September 2016
- LXII. **Investigation of multiple resistance on some wheat genotypes against root lesion nematodes *Pratylenchus thornei* and *Pratylenchus neglectus***  
KASAPÖĞLU E. B., İMREN M., ELEKCİOĞLU İ. H.  
32. SYMPOSIUM EUROPEAN SOCIETY OF NEMATOLOGİSTS, Braga, Portugal, 28 August - 01 September 2016
- LXIII. **Distribution identification and molecular characterization of *Xiphinema index* *Xiphinema pachtaicum* and *Xiphinema italiae* Nematoda Longidoridae occuring in vineyards of Turkey**  
Öztürk L., Güvenc A., ELEKCİOĞLU İ. H.  
32nd European Society of Nematologists (ESN), Braga, Portugal, 28 August - 01 September 2016
- LXIV. **Screening of chickpea genotypes collected from Turkey against to the root lesion nematode *Pratylenchus neglectus* and *P thornei***  
Tohid B., KASAPÖĞLU E. B., Kahraman A., Berger J., ELEKCİOĞLU İ. H.  
32nd European Society of Nematologists (ESN), Braga, Portugal, 28 August - 01 September 2016
- LXV. **investigation of multiple resistance on some wheat genotypes against root lesion**

**nematodes, *Pratylenchus thornei* and *Pratylenchus neglectus***

KASAPOĞLU E. B., İMREN M., ELEKÇİOĞLU İ. H.

32. SYMPOSIUM EUROPEAN SOCIETY OF NEMATOLOGISTS, Braga, Portugal, 28 August - 01 September 2016, pp.289

- LXVI. **Current data on pathotype characterisation and resistance reactions of cereal cyst nematodes *Heterodera avenae* and *H. filipjevi* in Turkey**  
İMREN M., TOKTAY H., KASAPOĞLU E. B., DABABAT A., BOZBUGA R., ELEKÇİOĞLU İ. H.  
68 th international symposium on crop protection, Ghent, Belgium, 17 May 2016, pp.127
- LXVII. **Importance of plant parasitic nematodes *Helicotylenchus multicinctus* *H. dihystra* and *Meloidogyne* spp *Nemata* in banana growing areas of Turkey**  
KASAPOĞLU E. B., İMREN M., BOZBUĞA R., TOKTAY H., ELEKÇİOĞLU İ. H.  
68 th international symposium on crop protection, Ghent, Belgium, 17 May 2016, pp.126
- LXVIII. **Genetic resistance to cereal nematodes *Heterodera* spp and *Pratylenchus* spp in Turkey**  
İMREN M., TOKTAY H., KASAPOĞLU E. B., DABABAT A., BOZBUĞA R., ELEKÇİOĞLU İ. H.  
68 th international symposium on crop protection, Ghent, Belgium, 17 May 2016, pp.52
- LXIX. **Research on nematodes on onion in Karaman in Turkey**  
Yavuzaslanoglu E., Dikici A., Elekcioglu İ. H.  
7th International Symposium on Edible Alliaceae, Niğde, Turkey, 21 - 25 May 2015, vol.1143, pp.49-54
- LXX. **Occurrence and distribution of cereal nematodes in East Anatolian Region of Turkey**  
TOKTAY H., İMREN M., ELEKÇİOĞLU İ. H., ÖCAL A., REFİK B., SALGUT Y., DEMİRBAŞ H., DABABAT A.  
5th International Cereal Nematodes Initiative Workshop, Ankara, Turkey, 13 - 15 September 2015, pp.141-147
- LXXI. **the cereal cyst nematodes *Heterodera avenae* Wollenweber in Turkey: Long term research with regional implications**  
ELEKÇİOĞLU İ. H., İMREN M., TOKTAY H., BOZBUGA R., KASAPOĞLU E. B., ÖCAL A., ABDELFATTAH D.  
Fifth International cereal nematode initiative workshop, Ankara, Turkey, Ankara, Turkey, 12 - 15 September 2015, pp.289-305
- LXXII. **investigating the resistance mechanisms of wheat varieties against root lesion nematodes *Pratylenchus thornei* and *P. neglectus* and Cyst nematodes *Heterodera avenae* and *H. filipjevi***  
KASAPOĞLU E. B., İMREN M., ÖZARSLANDAN A., BEHMAND T., ELEKÇİOĞLU İ. H.  
Fifth International cereal nematode initiative workshop, Ankara, Turkey, Ankara, Turkey, 12 - 15 September 2015, pp.251-255
- LXXIII. **Resistance screening of wheat accessions characterized for *Cre1* and *Cre 3* against *Heterodera filipjevi* Madzhidov 1981 Stelter Tylenchida Heteroderidae**  
ELİF Y., ELEKÇİOĞLU İ. H., NICOL J.  
5th International Cereal Nematodes Initiative Workshop, Ankara, Turkey, 13 - 16 September 2015, pp.257-264
- LXXIV. **Plant parasitic nematode species associated with barley *Hordeum vulgare* and wheat *Triticum* spp L in Adıyaman Province**  
ÖCAL A., ELEKÇİOĞLU İ. H.  
5th International Cereal Nematodes Initiative Workshop, Ankara, Turkey, 13 - 16 September 2015, pp.149-156
- LXXV. **Investigating the resistance mechanisms of wheat varieties against root lesion nematodes *Pratylenchus thornei* and *P. neglectus* and cyst nematodes *Heterodera avenae* *H. filipjevi***  
KASAPOĞLU E. B., İMREN M., ÖZARSLANDAN A., TOHİD B., ELEKÇİOĞLU İ. H.  
5th International Cereal Nematodes Initiative Workshop, Ankara, Turkey, 13 - 16 September 2015, pp.251-255
- LXXVI. **Adıyaman İli Biber *Capsicum annum* L ve Patlıcan *Solanum melongena* Üretim Alanlarında Saptanan Bitki Paraziti Nematod Türleri**  
ÖCAL A., İMREN M., TOKTAY H., ELEKÇİOĞLU İ. H.  
VII. Ulusal Bahçe Bitkileri Kongresi, Çanakkale, Turkey, 25 - 27 August 2015, pp.225
- LXXVII. **Morphological Molecular and Pathotype identification of the cereal cyst nematodes *Heterodera* spp in Turkey**  
TOKTAY H., İMREN M., ÖCAL A., KASAPOĞLU E. B., ELEKÇİOĞLU İ. H., DABABAT A.  
XVIII. International plant protection congress, Berlin, Germany, Berlin, Germany, 24 - 27 August 2015, pp.250

- LXXVIII. **Status of the root knot nematodes *Meloidogyne* spp. Goeldi in Turkey**  
ELEKÇİOĞLU İ. H., KASAPOĞLU E. B., ÖZARSLANDAN A., SÖĞÜT M. A., İMREN M., BOZBUĞA R., MENNAN S., KAŞKAVALCI G.  
XVIII. International plant protection congress, Berlin, Germany, Berlin, Germany, 24 - 27 August 2015, pp.246
- LXXIX. **Occurrence and geographical distribution of root lesion nematodes *Pratylenchus thornei* and *Pratylenchus neglectus* associated with wheat in Turkey**  
KASAPOĞLU E. B., İMREN M., TOKTAY H., ELİF Y., BEHMAND T., ELEKÇİOĞLU İ. H.  
XVIII. International plant protection congress, Berlin, Germany, Berlin, Germany, 24 - 27 August 2015, pp.243
- LXXX. **The cereal nematodes *Heterodera avenae* and *Pratylenchus thornei* associated with wheat yield reduction in EasternMediterranean Region of Turkey**  
İMREN M., TOKTAY H., KASAPOĞLU E. B., DABABAT A., ELEKÇİOĞLU İ. H.  
XVIII. International plant protection congress, Berlin, Germany, Berlin, Germany, 24 - 27 August 2015, pp.302
- LXXXI. **Occurrence and Distribution of Entomopathogenic Nematodes *Steinernematidae* and *Heterorhabditidae* in Kayseri Province Turkey**  
CANHİLAL R., İMREN M., TOKTAY H., WAEYENBERGE L., ERDOĞAN S., ELEKÇİOĞLU İ. H.  
XVIII. International Plant Protection Congress (IPPC), Berlin, Germany, 24 - 27 August 2015, pp.302
- LXXXII. **Occurrence and geographical distribution of root lesion nematodes; *Pratylenchus thornei* and *Pratylenchus neglectus* in Turkey**  
KASAPOĞLU E. B., İMREN M., TOKTAY H., yavuzosmanoğlu şahin e., behmand t., elekçioğlu i. h.  
XVIII. International plant protection congress, Berlin, Germany, 23 - 29 August 2015, pp.110
- LXXXIII. **Revealing the resistance response of common bean genotypes to the root knot nematode bozbuğa r., Daşgan H. Y., Akhoundnejad Y., İMREN M., TOKTAY H., KASAPOĞLU E. B., elekçioğlu i. h.**  
XVIII. International plant protection congress, Berlin, Germany, 23 - 29 August 2015, pp.110
- LXXXIV. **Biyolojik mücadelede son gelişmeler**  
nedim u., Elekçioğlu İ. H., ULUSOY M. R., KAZAK C., AYSAN Y., UYGUR S., KARUT K., SATAR S., GÖZEL U., Karacaoğlu M.  
Türkiye Ziraat Mühendisliği VII. Teknik Kongresi, Turkey, 12 - 16 January 2015, pp.727-745
- LXXXV. **Comparative transcriptome analysis of three cyst nematode species**  
KASAPOĞLU ULUDAMAR E. B., HABASH S., TOKTAY H., İMREN M., ELEKÇİOĞLU İ. H., GRUNDLER F. M., ELASHRY A.  
2nd Annual Conference of the SUSTAIN Action, ZAKOPONE, Poland, 15 - 17 October 2014, pp.45
- LXXXVI. **Studies on the citrus nematode, *Tylenchulus semipenetrans*, Cobb in the East mediterranean region of Turkey.**  
ELEKÇİOĞLU İ. H., Kasapoğlu E. B., Toktay H., İmren M.  
6th International Conference of Nematology, Cape Town, South Africa, 4 - 09 May 2014, pp.258
- LXXXVII. **Determination of Races of the Root-knot Nematode Species (*Meloidogne* spp.; *Nemata: Meloidogynidae*) in Turkey.**  
Kaçar G., ELEKÇİOĞLU İ. H.  
6th International Conference of Nematology, Cape Town, South Africa, 4 - 09 May 2014, pp.166
- LXXXVIII. **Studies on population dynamics of spiral nematode (*Helicotylenchus multicinctus*) in banana greenhouses in Turkey.**  
ELEKÇİOĞLU İ. H., Yoraz G., Kasapoğlu E. B.  
6th International Conference of Nematology, Cape Town, South Africa, 4 - 09 May 2014, pp.163-164
- LXXXIX. **Management options to control cereal nematodes in wheat under rainfed conditions.**  
Dababat A., Erginbaş-Orakçı G., Braun H., ELEKÇİOĞLU İ. H., Morgounov A.  
6th International Conference of Nematology, Cape Town, South Africa, 4 - 09 May 2014, pp.268-269
- XC. **Nematodes associated with greenhouse banana production in Turkey**  
ELEKÇİOĞLU İ. H., YORAZ G., KASAPOĞLU ULUDAMAR E. B.  
6th International Congress of Nematology, Cape-Town, South Africa, 4 - 09 May 2014, pp.163-164
- XCI. **Studies on the cereal nematodes, *Heterodera* spp. and *Pratylenchus* spp. in Turkey**  
ELEKÇİOĞLU İ. H., İMREN M., TOKTAY H., YAVUZASLANOĞLU E., KASAPOĞLU ULUDAMAR E. B., dababat a.  
6th International Congress of Nematology, Cape-Town, South Africa, 4 - 09 May 2014, pp.163

- XCII. Molecular characterization of *Heterodera* spp. and *Pratylenchus* spp. From winter wheat in the East Anatolian region of Turkey.**  
Toktay H., İmren M., Öcal A., Kasapoğlu E. B., Dababat A., ELEKCİOĞLU İ. H.  
6th International Conference of Nematology, Cape Town, South Africa, 4 - 09 May 2014, pp.28-29
- XCIII. Studies on the effect of *Heterodera avenae* (Wollenweber, 1924) on yield losses in wheat varieties in the Eastern Mediterranean of Turkey.**  
İmren M., Toktay H., Kasapoğlu E. B., ELEKCİOĞLU İ. H., Dababat A.  
6th International Conference of Nematolog, Cape Town, South Africa, 4 - 09 May 2014, pp.165
- XCIV. Muz Seralarında Spiral Nematodlar (*Helicotylenchus dihystra* ve *H. multicinctus*) ile Kök-ur nematodu türlerinin (*Meloidogyne incognita* ve *M. javanica*) Populasyon Değişiminin Araştırılması**  
KASAPOĞLU E. B., yoraz g., elekcioğlu i. h.  
Türkiye 5. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.6
- XCIV. Farklı *Meloidogyne incognita* (Kofoid & White, 1919) inokulum seviyelerinin in vitro koşullarda domates köklerinde gal oluşumuna etkisi.**  
Bozbuğa R., İmren M., Toktay H., Kasapoğlu E. B., ELEKCİOĞLU İ. H.  
Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.166
- XCVI. Güneydoğu Anadolu Bölgesi Buğday Alanlarında Bulunan Önemli Bitki Paraziti Nematod Türlerinin Belirlenmesi.**  
Bozbuğa R., İmren M., Toktay H., Kasapoğlu E. B., ELEKCİOĞLU İ. H.  
Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.157
- XCVII. Doğu Akdeniz Bölgesi Koşullarında Tahıl Kist Nematodu, *Heterodera avenae*'xxnin (Wollenweber, 1924) Buğdayda Meydana Getirdiği Ürün Kaybının Belirlenmesi**  
İMREN M., BOZBUĞA R., KASAPOĞLU ULUDAMAR E. B., TOKTAY H., ELEKCİOĞLU İ. H.  
Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.8
- XCVIII. Farklı *Meloidogyne incognita* (Kofoid White, 1919) İnokulumSeviyelerinin In Vitro Koşullarda Domates Köklerinde GalOluşumuna Etkisi**  
BOZBUĞA R., İMREN M., TOKTAY H., KASAPOĞLU ULUDAMAR E. B., ELEKCİOĞLU İ. H.  
Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.166
- XCIX. Mersin İli Bozyazı İlçesinde Muz Seralarındaki Spiral Nematodlar İle Kök-Ur Nematodu Türlerinin Populasyon Değişiminin Araştırılması**  
ELEKCİOĞLU İ. H., yoraz g., KASAPOĞLU ULUDAMAR E. B.  
Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.6
- C. Güneydoğu Anadolu Bölgesi Buğday Alanlarında Bulunan Önemli Bitki Paraziti Nematod Türlerinin Belirlenmesi**  
KASAPOĞLU E. B., İMREN M., bozbuğa r., TOKTAY H., elekcioğlu i. h.  
Türkiye 5. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.157
- CI. *Meloidogyne incognita* (Kofoid & White, 1919) inokulum seviyelerinin in vitro koşullarda domates köklerinde gal oluşumuna etkisi**  
bozbuğa r., İMREN M., TOKTAY H., KASAPOĞLU E. B., elekcioğlu i. h.  
Türkiye 5. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.166
- CII. Doğu Akdeniz Bölgesi Koşullarında Tahıl kist nematodu, *Heterodera avenae*'nin (Wollenweber, 1924) Buğdayda Meydana Getirdiği Ürün Kaybının Belirlenmesi**  
İMREN M., bozbuğa r., KASAPOĞLU E. B., TOKTAY H., elekcioğlu i. h.  
Türkiye 5. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.8
- CIII. Doğu Anadolu Bölgesi Buğday Alanlarında Tahıl Kist Nematodu (*Heterodera* spp.) Türlerinin Belirlenmesi.**  
Toktay H., İmren M., Bozbuğa R., Kasapoğlu E. B., Dababat A., ELEKCİOĞLU İ. H.  
Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.9
- CIV. Doğu Akdeniz Bölgesi Koşullarında Tahıl kist nematodu, *Heterodera avenae*'nin (Wollenweber, 1924) Buğdayda Meydana Getirdiği Ürün Kaybının Belirlenmesi.**  
İmren M., Bozbuğa R., Kasapoğlu E. B., Toktay H., ELEKCİOĞLU İ. H.

Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.8

- CV. **Mersin ili Bozyazı İlçesinde Muz Seralarında Spiral Nematodlar (*Helicotylenchus dihystra* ve *H. multicinctus*) ile Kök-ur nematodu türlerinin (*Meloidogyne incognita* ve *M. javanica*) Populasyon Değişiminin Araştırılması.**  
ELEKCİOĞLU İ. H., Yoraz G., Kasapoğlu E. B.  
Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.6
- CVI. **Doğu Anadolu Bölgesi Buğday Alanlarında Tahıl Kist Nematodu(*Heterodera* spp.) Türlerinin Belirlenmesi**  
TOKTAY H., İMREN M., BOZBUĞA R., ÖCAL A., KASAPOĞLU ULUDAMAR E. B., DABABAT A., ELEKCİOĞLU İ. H.  
Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.9
- CVII. **Investigating of the durability of some citrus rootstocks against citrus nematode in Eastern Mediterranean Region under natural conditions**  
KASAPOĞLU ULUDAMAR E. B., ÇİMEN B., İNCESU M., YEŞİLOĞLU T., ELEKCİOĞLU İ. H.  
31 st International Symposium of The European Society, Adana, Turkey, 23 - 27 September 2012, pp.115
- CVIII. **Taxonomic studies on the plant-parasitic nematode species in wheat cultivated areas in Mardin Province**  
ELEKCİOĞLU İ. H.  
31st International Symposium of the European Society of Nematologists, Adana, Turkey, 23 - 27 September 2012, pp.117
- CIX. **Determination of some Cre genes efficiency against the cereal cyst nematodes, *Heterodera avenae*, *H. filipjevi* and *H. latipons***  
ELEKCİOĞLU İ. H., Toktay H., Nicol J., Nicol J. M.  
31st International Symposium of the European Society of Nematologists, Adana, Turkey, 23 - 27 September 2012, pp.113
- CX. **Resistance screening of national and international spring wheat against the cereal cyst nematode (*Heterodera avenae*) and the root lesion nematodes (*Pratylenchus thornei* and *P. neglectus*) under controlled conditions in Turkey**  
ELEKCİOĞLU İ. H., Nicol J. M.  
31st International Symposium of the European Society of Nematologists, Adana, Turkey, 23 - 27 September 2012, pp.120
- CXI. **Plant parasitic nematode species found on important plants grown in agricultural lands in Adana**  
KASAPOĞLU E. B., elekcioğlu i. h.  
European Society of Nematologists Congress, Adana, Turkey, 23 - 27 September 2012, pp.116
- CXII. **Plant-parasitic nematode species associated with different cultivations in Adıyaman Province**  
ELEKCİOĞLU İ. H.  
31st International Symposium of the European Society of Nematologists, Adana, Turkey, 23 - 27 September 2012, pp.118
- CXIII. **Investigation of resistance against the cereal cyst Nematode, *Heterodera avenae*, in wheat germplasm.**  
ELEKCİOĞLU İ. H., ÖZKAN H., Toktay H.  
31st International Symposium of the European Society of Nematologists, Adana, Turkey, 23 - 27 September 2012, pp.114
- CXIV. **Investigating of the durability of some citrus rootstocks against citrus nematode in Eastern Mediterranean Region under natural conditions.**  
ELEKCİOĞLU İ. H., ÇİMEN B., YEŞİLOĞLU T., KASAPOĞLU E. B.  
31st International Symposium of the European Society of Nematologists, Adana, Turkey, 23 - 27 September 2012, pp.115
- CXV. **Investigation of the host status of barnyard grass and small flower umbrella sedge to rice white-tip nematode (*Aphelenchoides besseyi* Christie, 1942).**  
ELEKCİOĞLU İ. H., Tulek A., Kepenekei I.  
31st International Symposium of the European Society of Nematologists, Adana, Turkey, 23 - 27 September 2012,

pp.128

- CXVI. **Investigating Of The Durability Of Some Citrus Rootstocks Against Citrus Nematode In Eastern Mediterranean Region Under Natural Conditions**  
KASAPOĞLU E. B., ÇİMEN B., İncesu M., YEŞİLOĞLU T., ELEKCİOĞLU İ. H.  
European Society of Nematologists Congress, Adana, Turkey, 23 - 27 September 2012, pp.115
- CXVII. **Plant-parasitic nematode species found on important plants grown in agricultural lands in Adana, Turkey**  
ELEKCİOĞLU İ. H.  
31st International Symposium of the European Society of Nematologists, Adana, Turkey, 23 - 27 September 2012, pp.116
- CXVIII. **Doğu Akdeniz Bölgesi'nde Turunçgil Anaçlarının Turunçgil Nematoduna (*Tylenchulus semipenetrans* Cobb, (*Tylenchulidae: Nemata*)) Karşı Dayanıklılığının Araştırılması. Türkiye IV**  
ELEKCİOĞLU İ. H., ÇİMEN B., YEŞİLOĞLU T.  
Bitki Koruma Kongresi Bildiri Özetleri, Kahramanmaraş, Turkey, 28 - 30 June 2011, pp.50
- CXIX. **Ekmeklik Buğdayda Tahıl Kist Nematodu (*Heterodera avenae*) ve Kök Yara Nematodları (*Pratylenchus thornei*, *P. neglectus*)'na Karşı Dayanıklı Gen Kaynaklarının Araştırılması**  
ELEKCİOĞLU İ. H., Toktay H., Nicol J. M.  
Türkiye IV. Bitki Koruma Kongresi Bildiri Özetleri, Kahramanmaraş, Turkey, 28 - 30 June 2011, pp.11
- CXX. **Göller Bölgesi'nde Buğday Yetiştiriciliğinde Hareketli Endoparazit Nematodlar**  
ELEKCİOĞLU İ. H., SÖĞÜT M. A., Devran Z.  
Türkiye IV. Bitki Koruma Kongresi Bildiri Özetleri, Kahramanmaraş, Turkey, 28 - 30 June 2011, pp.47
- CXXI. **Türkiye'nin Farklı Alanlarından Elde Edilen Kök-Ur Nematodu Türlerinin (*Meloidogyne* spp.; *Nemata: Meloidogynidae*) Irklarının Belirlenmesi. Türkiye**  
ELEKCİOĞLU İ. H.  
Bitki Koruma Kongresi Bildiri Özetleri, Kahramanmaraş, Turkey, 28 - 30 June 2011, pp.299
- CXXII. **Bazı Sert Çekirdekli Meyva Anaçlarının Kök-Ur Nematodları (*Meloidogyne incognita* ve *M. javanica*)'na Karşı Dayanıklılık Düzeylerinin Araştırılması**  
ELEKCİOĞLU İ. H., KAYIM M.  
Türkiye IV. Bitki Koruma Kongresi Bildiri Özetleri, Kahramanmaraş, Turkey, 28 - 30 June 2011, pp.250
- CXXIII. **Doğu Akdeniz Bölgesi'nde Turunçgil Anaçlarının Turunçgil Nematoduna (*Tylenchulus semipenetrans* Cobb, (*Tylenchulidae: Nemata*)) Karşı Dayanıklılığının Araştırılması**  
KASAPOĞLU ULUDAMAR E. B., ÇİMEN B., YEŞİLOĞLU T., faber b., ELEKCİOĞLU İ. H., tuzcu ö.  
Türkiye IV. Bitki Koruma Kongresi, Kahramanmaraş, Turkey, 28 - 30 June 2011, pp.50
- CXXIV. **Adıyaman İli Biber ve Patlıcan Ekiliş Alanlarında Kök-Ur Nematodları (*Meloidogyne* spp.)'nın Belirlenmesi**  
ELEKCİOĞLU İ. H.  
Türkiye IV. Bitki Koruma Kongresi Bildiri Özetleri, Kahramanmaraş, Turkey, 28 - 30 June 2011, pp.200
- CXXV. **Bazı Sert Çekirdekli Meyve Anaçlarının Kök-Ur Nematodları (*Meloidogyne incognita* ve *Meloidogyne javanica*) na Karşı Dayanıklılık Düzeylerinin Araştırılması**  
ÖZBEK B., KAYIM M., ELEKCİOĞLU İ. H.  
Türkiye IV. Bitki Koruma Kongresi, Kahramanmaraş, Turkey, 28 - 30 June 2011, pp.56
- CXXVI. **Identification of cereal cyst nematode species with morphometric and molecular methods in Turkey**  
ELEKCİOĞLU İ. H., ŞAHİN E., Toktay H., Nicol J. M.  
872 Final Meeting, Ghent, Belgium, 24 - 25 May 2011, pp.872
- CXXVII. **Nematodes Associated with Pistachio in Sanliurfa, Turkey**  
Yildiz S., ELEKCİOĞLU İ. H.  
5th International Symposium on Pistachios and Almonds, Şanlıurfa, Turkey, 6 - 10 October 2009, vol.912, pp.759-760
- CXXVIII. **Preliminary survey study on *Heterodera* species in some provinces of Southeast Anatolia region of Turkey**  
İMREN M., ÖZARSLANDAN A., TOKTAY H., ÖCAL A., ELEKCİOĞLU İ. H., DABABAT A., NICOL J.



30th International Symposium of the European Society of Nematologists, 19 - 23 September 2010, pp.159

- CXXXIX. **Molecular identification of root lesion nematodes from Turkey**  
ELEKÇİOĞLU İ. H., SÖĞÜT M. A., Devran Z.  
Proceedings of the fourth COST 872 Annual meeting, Lisbon, Portugal, 23 - 27 May 2010, pp.67
- CXXX. **Preliminary application of marker assisted selection (MAS) for cereal cyst nematode (*Heterodera* spp.) resistance with international winter wheat germplasm in Turkey**  
ELEKÇİOĞLU İ. H., Nicol J. M., Caliskan M., Bolat N., Uranbey S., Akar T.  
Proceedings of the fourth COST 872 Annual meeting, Lisbon, Portugal, 23 - 27 May 2010, pp.66
- CXXXI. **Preliminary survey on *Heterodera* species in some provinces of Southeast Anatolia region of Turkey**  
ELEKÇİOĞLU İ. H., ÖZARSLANDAN A., Toktay H., Nicol J. M.  
30th International Symposium of the European Society of Nematologists, Vienna, Austria, 20 - 24 May 2010, pp.159
- CXXXII. **Longterm studies on the cereal cyst nematode with winter wheat (*Heterodera filipjevi*) and new research with *H. avenae* in Turkey: International collaboration with regional implications..**  
ELEKÇİOĞLU İ. H., ŞAHİN E., Toktay H., Nicol J. M., Bolat N., Yorgancılar O.  
30th International Symposium of the European Society of Nematologists, Vienna, Austria, 20 - 24 May 2010, pp.1225
- CXXXIII. **Identification of wheat genetic resistance sources to the cereal nematode complex including the root lesion nematode (*Pratylenchus thornei* and *P. neglectus*) and cereal cyst nematode (*Heterodera avenae*).**  
ELEKÇİOĞLU İ. H.  
30th International Symposium of the European Society of Nematologists, Vienna, Austria, 20 - 24 May 2010, pp.139
- CXXXIV. **First report of the *Heterorhabditis bacteriophora* (Poinar, 1975) (Nematoda: Heterorhabditidae) isolated from the red palm weevil, *Rhynchophorus ferrugineus* (Oliver, 1790) (Coleoptera: Curculionidae).**  
ELEKÇİOĞLU İ. H., GÖZEL U.  
II. Entomopathogens and Microbial Control Symposium, Muğla, Turkey, 24 - 27 September 2009, pp.36-37
- CXXXV. **Türkiye Kök-Ur Nematodu Türlerinin (*Meloidogyne* Spp.) Tanısı Ve Bazı Kök-Ur Nematodu Populasyonlarının Virülenliğinin Belirlenmesi**  
ELEKÇİOĞLU İ. H., ÖZARSLANDAN A., Devran Z.  
Türkiye III: Bitki Koruma Kongresi Bildiri Özetleri, Van, Turkey, 15 - 17 July 2009, pp.35
- CXXXVI. **Adana Ve Mersin Illerinde Yabancı Otlarda Bulunan Kök-Ur Nematodu Türlerinin (*Meloidogyne* Spp.) (Nemata: Meloidogynidae) Belirlenmesi**  
ELEKÇİOĞLU İ. H.  
Türkiye III. Bitki Koruma Kongresi Bildiri Özetleri, Van, Turkey, 15 - 17 July 2009, pp.113
- CXXXVII. **Buğday Genotiplerinin Tahıl Kist Nematodu, *Heterodera filipjevi* (Madzhidov) Stelcer Populasyonlarına Karşı Dayanıklılıklarının Araştırılması**  
ELEKÇİOĞLU İ. H., ÖZARSLANDAN A., Nicol J. M.  
Türkiye III. Bitki Koruma Kongresi Bildiri Özetleri, Van, Turkey, 15 - 17 July 2009, pp.117
- CXXXVIII. **Tahıl Kist Nematodu, *Heterodera filipjevi*? Nin Laboratuvar Ve Tarla Sıcaklık Koşullarında Larva Çıkışı**  
ELEKÇİOĞLU İ. H., ŞAHİN E., Rivol J., Nicol J. M.  
Türkiye III: Bitki Koruma Kongresi Bildiri Özetleri, Van, Turkey, 15 - 17 July 2009, pp.34
- CXXXIX. **Türkiye'de Uluslar Arası Kışlık Buğday Genotiplerinin Tahıl Kist Nematodlarına Karşı Dayanıklılık Çalışmalarında MAS (Marker Assisted Selection) Yönteminin Kullanılması**  
ELEKÇİOĞLU İ. H., Nicol J. M., Bolat N., Uranbey S., Akar T.  
Türkiye III. Bitki Koruma Kongresi Bildiri Özetleri, Van, Turkey, 15 - 17 July 2009, pp.13
- CXL. **Çeltik Beyaz Uç Nematodu (*Aphelenchoides besseyi* Christei, *Aphelenchida*: *Aphelenchoidae*)?nun Havuç Diskinde Kültüre Alınması**  
ELEKÇİOĞLU İ. H., Tulek A., Melik B., Hekimhan H., Kepenekei I., Cobanoğlu S., Devran Z.

Türkiye III: Bitki Koruma Kongresi Bildiri Özetleri, Van, Turkey, 15 - 17 July 2009, pp.109

- CXLI. **Sequence variation in the rDNA region of *Meloidogyne incognita* populations from Turkey**  
ELEKCİOĞLU İ. H., SÖĞÜT M. A., Devran Z.  
COST 872 Workshop & MC Meeting, Toledo, Spain, 25 - 28 May 2009, pp.73
- CXLII. **Resistance of spring wheat against Root lesion (*Pratylenchus thornei*) and cereal cyst (*Heterodera filipjevi*) nematode.**  
ELEKCİOĞLU İ. H., ŞAHİN E., Toktay H., Nicol J. M.  
COST 872 Workshop & MC Meeting, Toledo, Spain, 25 - 28 May 2009, pp.75
- CXLIII. **The first International Cereal Cyst Nematode Workshop on Wheat in Turkey October 2009.**  
ELEKCİOĞLU İ. H., Toktay H., Nicol J. M., Bolat N.  
COST 872 Workshop & MC Meeting, Toledo, Spain, 25 - 28 May 2009, pp.76
- CXLIV. **Addressing root-knot nematodes in horticulture: Diagnostics resistance and integrated management practices in Turkey**  
ELEKCİOĞLU İ. H., ÖZARSLANDAN A., SÖĞÜT M. A., Devran Z.  
5th International Congress of Nematology, Brisbane, Australia, 13 - 18 July 2008, pp.80
- CXLV. **Absence of resistance associated between cereal cyst (*Heterodera filipjevi*) and root lesion (*Pratylenchus thornei*) nematode in spring wheat sister lines**  
ELEKCİOĞLU İ. H., ŞAHİN E., Toktay H., Nicol J. M.  
5th International Congress of Nematology, Brisbane, Australia, 13 - 18 July 2008, pp.242
- CXLVI. **Distribution of known and new migratory endoparasitic nematodes on wheat production in the Isparta province of Turkey**  
ELEKCİOĞLU İ. H., SÖĞÜT M. A., Devran Z.  
5th International Congress of Nematology, Brisbane, Australia, 13 - 18 July 2008, pp.208
- CXLVII. **In vitro hatching of *Heterodera filipjevi* in laboratory and winter wheat field conditions in Turkey**  
ELEKCİOĞLU İ. H., Yorgancılar A., ŞAHİN E., Nicol J. M., Bolat N., Yorgancılar O., Rivol J.  
5th International Congress of Nematology, Brisbane, Australia, 13 - 18 July 2008, pp.193
- CXLVIII. **Identification of multiple resistance against cereal cyst (*Heterodera filipjevi*) and root lesion (*Pratylenchus thornei* and *P. neglectus*) nematodes for International bread Wheat Improvement**  
ELEKCİOĞLU İ. H., Yildirim A. F., ŞAHİN E., Nicol J. M., Bolat N., Yorgancılar O.  
5th International Congress of Nematology, Brisbane, Australia, 13 - 18 July 2008, pp.31
- CXLIX. **Tahıl kist (*Heterodera filipjevi*) ve Kök lezyon (*Pratylenchus thornei* & *P. neglectus*) nematodlarına karşı dayanıklı buğday çeşitlerinin belirlenmesi üzerine araştırmalar**  
ELEKCİOĞLU İ. H., ERKILIÇ A., Yorgancılar A., ŞAHİN E., Nicol J. M., Bolat N.  
Ülkesel Tahıl Sempozyumu Bildirileri, Konya, Turkey, 2 - 05 June 2008, pp.342-345
- CL. **Tarımsal mücadelede kullanılan pestisitler ve çevresel etkileri**  
ELEKCİOĞLU İ. H., ATAKAN E., BİÇİCİ M.  
I. Çukurova'da Sanayileşme Çevre Sempozyumu Bildirileri, Adana, Turkey, 30 - 01 November 2007, pp.51-71
- CLI. **Tarımsal Mücadelede kullanılan pestisitler ve etkileri. I**  
Biçici M., Elekcioğlu H., ATAKAN E.  
Çukurova'da Sanayileşme ve Çevre Sempozyumu, Adana, Turkey, 30 November - 01 December 2007, pp.51-71
- CLII. **Buğdayda Tahıl kist (*Heterodera filipjevi*) ve Kök yara (*Pratylenchus thornei* & *P. neglectus*) nematodlarına karşı dayanıklılığın belirlenmesi üzerine araştırmalar**  
ELEKCİOĞLU İ. H., ERKILIÇ A., Yorgancılar A., ŞAHİN E., Nicol J. M., Bolat N.  
Türkiye II. Bitki Koruma Kongresi Bildirileri, Isparta, Turkey, 27 - 29 August 2007, pp.249
- CLIII. ***Tagetes patula* cv. Hero ve *T. erecta* bitkilerinin farklı yeşil gübre uygulamalarında *Meloidogyne incognita*'ya karşı etkinliğinin belirlenmesi**  
ELEKCİOĞLU İ. H., SÖĞÜT M. A.  
Türkiye II. Bitki Koruma Kongresi Bildirileri, Isparta, Turkey, 27 - 29 August 2007, pp.79
- CLIV. **Türkiye'de patates yetiştiriciliğinde çok önemli yeni bir tür: *Meloidogyne chitwoodi* (Goeldi, 1892), Nemata: Heteroderidae**  
ELEKCİOĞLU İ. H., ÖZARSLANDAN A., Devran Z.

Türkiye II. Bitki Koruma Kongresi Bildirileri, Isparta, Turkey, 27 - 29 August 2007, pp.77

- CLV. **Orta Anadolu Bölgesi buğday ekim alanlarında nematodların dağılımı ve toprak özellikleri ile ilişkilerinin araştırılması**  
ELEKÇİOĞLU İ. H., Tulek A., Yorgancılar A., Hodson D., ŞAHİN E., Hekimhan H., Nicol J. M., Bolat N.  
Türkiye II. Bitki Koruma Kongresi Bildirileri, Isparta, Turkey, 27 - 29 August 2007, pp.76
- CLVI. **The international breeding strategy for the incorporation of resistance in bread wheat against the soil borne pathogens (Dryland Root Rot and cyst and lesion Cereal Nematodes) using conventional and molecular tools**  
Nicol J. M., Bolat N., Bağcı A., Trethowan R. T., William M., Hekimhan H., Yildirim A. F., Sahin E., Elekcioglu H., Toktay H., et al.  
7th International Wheat Conference (7 IWC), Mar del Plata, Argentina, 27 November - 02 December 2005, vol.12, pp.125-128
- CLVII. **The use of crop rotation as a means to control the cyst and lesion nematodes under rainfed wheat production systems**  
ELEKÇİOĞLU İ. H., Yorgancılar A., Nicol J. M., Bolat N.  
European Society of Nematologists XXVIII International Symposium, Blagoevgrad, Bulgaria, 5 - 09 June 2006, pp.55
- CLVIII. **The international strategy to understand the importance and control of cereal nematodes (Cereal cyst and lesion) for international global bread wheat improvement.**  
ELEKÇİOĞLU İ. H., Nicol J. M., Bolat N.  
European Society of Nematologists XXVIII International Symposium, Blagoevgrad, Bulgaria, 5 - 09 June 2006, pp.58
- CLIX. **Distribution of nematodes found in cereal soils on the Central Anatolian Plateau in Turkey**  
ELEKÇİOĞLU İ. H., Yildirim A. F., Tulek A., Yorgancılar A., Hekimhan H., Nicol J. M., Bolat N.  
of European Society of Nematologists XXVIII International Symposium, Blagoevgrad, Bulgaria, 5 - 09 June 2006, pp.83
- CLX. **The relationship of the plant parasitic cereal nematodes (cyst and lesion) to soil properties and other fungal/bacterial nematode groups on the cereal growing region of the Central Anatolia Plateau of Turkey**  
ELEKÇİOĞLU İ. H., Yildirim A. F., Tulek A., Yorgancılar A., Hodson D., Hekimhan H., Nicol J., Bolat N., ŞAHİN E.  
European Society of Nematologists XXVIII International Symposium, Blagoevgrad, Bulgaria, 5 - 09 June 2006, pp.139
- CLXI. **Improved in vitro screening methodology against root lesion nematode (Pratylenchus thornei Sher et Allen) in wheat**  
ELEKÇİOĞLU İ. H., Toktay H., Nicol J. M.  
European Society of Nematologists XXVIII International Symposium, Blagoevgrad, Bulgaria, 5 - 09 June 2006, pp.56-57
- CLXII. **Identification of the chromosomal locations of root lesion nematode (Pratylenchus thornei) resistance in the two partially resistant bread wheat cultivars**  
ELEKÇİOĞLU İ. H., McIntyre C. L., ÖZKAN H., Toktay H., Nicol J. M.  
European Society of Nematologists XXVIII International Symposium, Blagoevgrad, Bulgaria, 5 - 09 June 2006, pp.106-107
- CLXIII. **Adana ve Mersin'de bağlarda Xiphinema türlerinin dağılımı ve asma kısa boğum virüs vektörü X. index Thorne&Allen'in populasyon yoğunluğunun belirlenmesi**  
ELEKÇİOĞLU İ. H.  
GAP IV. Tarım Kongresi Bildirileri, Şanlıurfa, Turkey, 21 - 23 September 2005, pp.1355-1359
- CLXIV. **Şanlıurfa İli tarım alanlarında görülen bitki paraziti nematodlar**  
ELEKÇİOĞLU İ. H.  
GAP IV. Tarım Kongresi Bildirileri, Şanlıurfa, Turkey, 21 - 23 September 2005, pp.290-293
- CLXV. **Kuru tahıl yetiştiriciliğinde Kist ve Lezyon nematodlarına (Heterodera spp., Pratylenchus spp.) karşı mücadelede ekim nöbetinin kullanılması**  
ELEKÇİOĞLU İ. H., ŞAHİN E., Nicol J. M., Bolat N., Yorgancılar O.  
Türkiye I. Bitki Koruma Kongresi Bildirileri, Samsun, Turkey, 8 - 10 September 2004, pp.85

- CLXVI. **. Doğu Akdeniz Bölgesinde metil bromide alternatif uygulamaların geliştirilmesi**  
ELEKÇİOĞLU İ. H., ÖZARSLANDAN A., SÖĞÜT M. A., YÜCEL S., CAN C., ULUDAĞ A., AKSOY E.  
Türkiye I. Bitki Koruma Kongresi Bildirileri, Samsun, Turkey, 8 - 10 September 2004, pp.100
- CLXVII. **Ülkesel ?buğdayda nematod zararı ve kontrolü? projesi ve nematodun neden olduğu verim kayıpları**  
ELEKÇİOĞLU İ. H., ŞAHİN E., Nicol J. M., Bolat N., Yorgancılar O.  
Türkiye I. Bitki Koruma Kongresi Bildirileri, Samsun, Turkey, 8 - 10 September 2004, pp.84
- CLXVIII. **Doğu Akdeniz Bölgesi?nde örtü altı biber yetiştiriciliğinde Meloidogyne incognita Chitwood 1949?nın mücadelesinde alternatif yöntemlerin araştırılması**  
ELEKÇİOĞLU İ. H., SÖĞÜT M. A.  
Türkiye I. Bitki Koruma Kongresi Bildirileri, Samsun, Turkey, 8 - 10 September 2004, pp.81
- CLXIX. **Domateste Kök-ur nematodları (Meloidogyne incognita Chitwood 1949 Irk-2 ve Meloidogyne javanica Chitwood 1949 Irk-1)?na karşı dayanıklılığın teşvik edilmesinin araştırılması. Türkiye I**  
ELEKÇİOĞLU İ. H.  
Bitki Koruma Kongresi Bildirileri, Samsun, Turkey, 8 - 10 September 2004, pp.80
- CLXX. **Tahılların Tahıl kist nematodu (Heterodera filipjevi (Madzidov) ve Kök lezyon nematodu Pratylenchus thornei (Sher et Allen)?ye karşı sera koşullarında dayanıklılığın testi için kullanılacak yöntemlerin tespiti**  
ELEKÇİOĞLU İ. H., Tulek A., ŞAHİN E., Toktay H., Nicol J. M., Bolat N.  
Türkiye I. Bitki Koruma Kongresi Bildirileri, Samsun, Turkey, 8 - 10 September 2004, pp.111
- CLXXI. **Şanlıurfa İli nematod biyoçeşitliliği üzerine araştırmalar**  
ELEKÇİOĞLU İ. H.  
Türkiye I. Bitki Koruma Kongresi Bildirileri, Samsun, Turkey, 8 - 10 September 2004, pp.114
- CLXXII. **Solarization and its combinations: The first year results of a demonstration project**  
ELEKÇİOĞLU İ. H., ÖZARSLANDAN A., ULUDAĞ A., SÖĞÜT M. A., YÜCEL S., GÖZEL U.  
International Conference on Alternatives to Methyl Bromide, Sevilla, Spain, 5 - 08 March 2002, pp.413-415
- CLXXIII. **The first year results of metyl bromide alternatives in strawberry, pepper and eggplant in the eastern Mediterranean part of Turkey**  
ELEKÇİOĞLU İ. H., YÜCEL S., ULUDAĞ A., CAN C., GÖZEL U., SÖĞÜT M. A., AKSOY E., ÖZARSLANDAN A.  
Annual International Research Conference on Methyl Bromide Alternatives and Emmissions Reductions, Bursa, Turkey, 05 November 2001 - 09 November 2011, pp.94-4
- CLXXIV. **The Effects of Soil Solarization and Arbuscular Mycorrhizal AM Fungi on the Control of Soil borne Pathogens and Root knot Nematodes in Protected Vegetable Crops**  
YÜCEL S., ELEKÇİOĞLU İ. H., ÖZGÖNEN ÖZKAYA H., TOKTAY H., ORTAŞ İ.  
Managing Arbuscular Fungi for Improving Soil Quality and Plant Health in Agriculture, Adana, Turkey, 9 - 11 June 2001
- CLXXV. **Değişik Habitatlarda Bulunan Avcı Nematodlar, Saprotit Nematodlar ve Bitki Paraziti Nematodların Baskınlığı Üzerine Araştırmalar**  
ELEKÇİOĞLU İ. H., UYGUN N., UYGUN N., ERKILIÇ A., KARACA İ., BALOĞLU S.  
TARP Türkiye Tarımsal Araştırma Projesi Simpozyumu Program ve Bildiri Özetleri, Ankara, Turkey, 26 - 27 October 2000, pp.12-14
- CLXXVI. **Effect of plant parasitic nematodes on yield parameters of wheat in the East Mediterranean region of Turkey**  
ELEKÇİOĞLU İ. H., GÖZEL U.  
24th International Nematology Symposium, Dundee, United Kingdom, 4 - 09 August 1998, pp.29-31
- CLXXVII. **Phytoparasitic nematode surveys of wheat fields in the East Mediterranean region of Turkey, 1990-1997**  
ELEKÇİOĞLU İ. H., GÖZEL U.  
24th International Nematology Symposium, Dundee, United Kingdom, 4 - 09 August 1998, pp.33
- CLXXVIII. **Balcalı (Adana)'da Buğdayda Bulunan Bitki Paraziti Nematod Türlerinin Populasyon Dalgalanmalarının Araştırılması**  
ELEKÇİOĞLU İ. H., GÖZEL U.

- Türkiye III. Entomoloji Kongresi Bildirileri, Ankara, Turkey, 24 - 28 September 1996, pp.388-395
- CLXXIX. **Einfluß verschiedener Zitrusanlagen auf den Befall mit Tylenchulus semipenetrans Cobb**  
ELEKÇİOĞLU İ. H., GÖZEL U., Lung G.  
Einfluß verschiedener Zitrusanlagen auf den Befall mit Tylenchulus semipenetrans Cobb, Bonn, Germany, 29 - 30 March 1995, pp.29-31
- CLXXX. **Wirkungen von Bodensolarisation auf Nematoden am Beispiel Tomate und Erdnuß**  
ELEKÇİOĞLU İ. H., Göçmen H., Lung G., GÖZEL U.  
Tagung des Arbeitskreises Nematologie, 29-30 März 1995, Bonn, Germany, Bonn, Germany, 29 - 30 March 1995, pp.29-31
- CLXXXI. **Occurrence and distribution of plant parasitic nematodes in cash crops in eastern Mediterranean region of Türkiye.**  
ELEKÇİOĞLU İ. H., Uygun N.  
Proc. of 9th Congress of the Mediterranean Phytopathological Union, Aydın, Turkey, 18 - 24 September 1994, pp.409-410
- CLXXXII. **Occurrence and distribution of plant parasitic nematodes in cash crop in Eastern Mediterranean Region of Turkey**  
ELEKÇİOĞLU İ. H.  
Proceedings of the 9th Congress of The Mediterranean Phytopathological Union, 18 - 24 September 1994

## Supported Projects

- ELEKÇİOĞLU İ. H., KASAPOĞLU ULUDAMAR E. B., Other International Funding Programs, Collection, phenotyping and exploitation of wild cicer genetic resources for chickpea improvement, 2014 - Continues
- ELEKÇİOĞLU İ. H., Project Supported by Higher Education Institutions, Çukurova Üniversitesi Ziraat Fakültesi Araştırma ve Uygulama Çiftliği Traktör Temini Altyapı Projesi, 2015 - 2017
- ELEKÇİOĞLU İ. H., BAYLAN M., Project Supported by Higher Education Institutions, ÇÜ Ziraat Fakültesi Tavukçuluk Kümeslerinin Modernize Edilmesi, 2015 - 2016
- ELEKÇİOĞLU İ. H., KASAPOĞLU E. B., Project Supported by Higher Education Institutions, Status of the rootknot nematodes *Meloidogyne* spp Goeldi in Turkey, 2015 - 2016
- ELEKÇİOĞLU İ. H., ATAKAN E., İNCE A., Project Supported by Higher Education Institutions, Çukurova Üniversitesi Ziraat Fakültesi Araştırma ve Uygulama Çiftliği Pastörize Süt Dolum-Paketleme ve Yardımcı Aksamaları Projesi, 2014 - 2016
- ELEKÇİOĞLU İ. H., KASAPOĞLU E. B., Project Supported by Higher Education Institutions, Mersin İli Bozyazı İlçesinde Muz Seralarında Spiral Nematodlar (*Helicotylenchus dihystra* ve *H. Multicinctus*) ile Kök-ur Nematodu Türlerinin (*Meloidogyne incognita* ve *M. Javanica*) Populasyon Değişiminin Araştırılması, 2013 - 2016
- ELEKÇİOĞLU İ. H., KASAPOĞLU E. B., Project Supported by Higher Education Institutions, Uluslararası Yayınları Özendirme Desteği (2 Adet), 2013 - 2016
- ELEKÇİOĞLU İ. H., Project Supported by Higher Education Institutions, Uluslararası Yayınları Özendirme Desteği (8 Adet), 2013 - 2015
- ELEKÇİOĞLU İ. H., Project Supported by Higher Education Institutions, Çukurova Üniversitesi Ziraat Fakültesi Araştırma ve Uygulama Çiftliği Yumurta Tavukçuluğu Kümes Altyapı Projesi, 2013 - 2014
- ELEKÇİOĞLU İ. H., Project Supported by Higher Education Institutions, Çukurova Üniversitesi Ziraat Fakültesi Araştırma ve Uygulama Çiftliği Pastörize Süt ve Peynir Paketleme Projesi, 2013 - 2014
- ELEKÇİOĞLU İ. H., Project Supported by Higher Education Institutions, Adana İli Tarım Alanlarındaki Önemli Kültür Bitkilerinde Bulunan Bitki Paraziti Nematod Gruplarının Araştırılması, 2010 - 2012

## Metrics

Publication: 323

Citation (WoS): 408

Citation (Scopus): 376

H-Index (WoS): 12

H-Index (Scopus): 12

## **Non Academic Experience**

Hohenheim Üniversitesi, Bonn Üniversitesi, BBA Münster

Bonn Üniversitesi

Hohenheim Üniversitesi

Ciba-Geigy

Union Carbide